
# SLATE CISTERNS AND SINKS,


MADE OF THE BEST BLUE PLANED WELSH SLABS PRODUCED, AND OF THE BEST WORKMANSHIP.

In ordering Cisterns, the dimensions will be taken as external unless specially stated to be in the clear; the first will be taken as the length, the second as width, the third as depth.

DELIVERED F.O.B. LONDON OR LIVERPOOL IN LOTS OF FIVE TONS AND UPWARDS. CASES EXTRA.

### ORDINARY CISTERNS MADE OF FIVE SLABS.





No. 4.

Prices per foot super for ordinary size Tanks. Special quotations will be given for Tanks put together as drawing No. 2, on receipt of full details.

Prepared Lead Cement for fixing, 6d. per 1b.

Cisterns requiring Slabs over 7 feet long, or 2 foot 6 inches wide, will be charged extra, and those containing less than 20 gallons. Prices on application.

Instructions for fixing Slate Cisterns.—First Paint the Grooves so as to exclude all dust; then place in them a layer of oil cement. Screw the bolts up gradually by first turning one and then the other until all are tightened; avoid screwing each bolt as far as it will go, irrespective of the other. Do not tighten too much for fear of breaking the slate; any cement which oozes out should be scraped off. A good plan, however, is to fill the Cistern as soon as fixed, whereby each slab finds its bearings, then leave it empty for a few days to allow the cement to dry. A cubic foot contains six gallons and one pint.

# No. 3.

### SLATE SINKS.

Planed Two Faces, not less than 4 inches inside.

Grooved and fitted ready for fixing, including galvanized iron bolts or screws, but not put together.

Every description of Slabwork prepared to order in Plain and Enamelled Slate.

### Planed both sides BEST QUALITY WELSH SLATE SLABS,

Of promiscuous lengths and breadths, edges from saw, delivered f.o.b. Liverpool or London, in bulk, in lots of 5 tons and upwards.

Thickness in inches	$\frac{1}{2}$	• • • •	$\frac{3}{4}$	•••	I	-10	$1\frac{1}{4}$		11/2	4.4.	13/4	•••	2 and	upwards.
Lot 1.—Between 2 ft. 6 in. and 5 ft. long, and from 1 ft. 6 in. to 3 ft. wide													The second secon	per ton of 20 cwt.
lot 2 D. son f the and 7 th land and trom 1													0 /	
2 ft. wide and upwards														" "
wards, by 3 ft. wide and upwards, \cdots			6 5 0	•••	6 0 0	• •••	5 11 6	••	5 6 6		5 3 6	•••	5 0 0	77.
or if exceeding 24 ft. superficial )							120							
Approximate number of superficial feet to one ton	300		200		150	•••	120	•••	100	•••	05			

Slate Slabs prepared to specified sizes are charged as follows:—Lot 1, 15 per ton, and Lots 2 and 3, 20 per ton extra to above prices.

All Slabs cut to angular or other shapes will be measured as square, taking extreme dimensions each way.


Slate Slabs for Urinals, Lavatory Tops, Dairy, Larder and Shop Shelves, Slate Butter Blocks, and every description of Plain and Enamelled Slabs prepared to order. Estimates on application.

### Planed both sides BLUE SLATE SLABS,

Suitable for Urinals, Shelves, Lavatories, and any kind of Manufactured Slate Slab, except Cisterns, in random sizes, edges from saw, delivered f.o.b. London (only) in lots of 25 tons and upwards.

7				3		•••		I				11				119				$I^{\frac{3}{4}}$				2	i	inches	thick.	
Lot I	•••	 	 £4	4	0	•••	£3	13	0	•••	£3	7	6	•••	£3	2	0		£2	19	6		£2	16	6	per to	on of 20	cwt.
Lot 2		 	 4	12	6		4	I	6		3	16	0		3	10	6	•••	3	7	6	•••	3	5	0	,	, ,	"
							]	If the	e abov	e Slabs a	are or	dered	l to	special siz	zes add	7/6	per t	ton.										

### SLATE URINALS, with or without Earthenware Fittings. See opposite page for prices.



No. 1. Slate Urinal, with No. 60 White Angular Urinal.

,, 2. ,, ,, 25 Flat Back White ...

3. , Cradle White Urinal.

4. , , , 1<sup>1</sup>/<sub>4</sub> Slate Apron.

5. " without Fittings.

Estimates forwarded on receipt of Plans and Specifications.

### Prices of SLATE URINALS to the Sketch on opposite page and Specification given below.

Delivered f.o.b. Liverpool or London, packed complete in skeleton cases, in lots of I ton and upwards.

The Planed or Rubbed Urinals can be sent with Welsh Slate Slabs quoted for on opposite page, or Cisterns on page 3, or Roll Ribbings on pages 6 and 7.

Backs, \( \frac{3}{4} \) in. thick, 5 ft. 6 in. high  $\times$  2 ft. wide, rebated on two upright edges to take divisions and ends, and half-rounded top edge. Divisions, 5 ft. 6 in. high  $\times$  1 ft. 9 in. wide  $\times$  1 in. thick, rounded front and top edge, and rounded one corner. Ends the same as divisions.

		doni				PI	AI	1ED	SLA	TE.			of the					RU	BE	BED	SLA	ATE.					EN			ED		TE			<b>y</b>
			No	I.		No. 2		No	. 3.	No	. 4.	N	o. 5.	. N	ю. 1.		No	. 2.		No.	3.	No. 4.		No. 5.	N	o. I.	No.	2.	No	. 3.	N	0. 4.	N	0. 5.	1
- (1)			£	. d.	£	s.	d.	£	s. d.	£	. d.	£	s. d.	£	s.	d.	£	s. d.		£ s.	d.	£ s. d.	t	s. d.	£	s. d.	£s	. d.	£	s. d.	£	s. d.	£	s.	d.
1 Person		•••	2 I	7 6	3	3 2	0	3	3 0	2	1 0	2	0 0	3	0	0	3	4 6		3 5	6	2 3 6	2	2 2 6	4	0 0	4 4	6	4	5 6	3	6 0	3	2	6
2' ,,		•••	4 1	5 0	5	5 4	0	5	6 0	3	9 6	3	2 0	5	0	0	5	9 0		5 11	0	3 14 6	3	7 0	7	0 0	7 9	0	7 1	0 1	6	6 0	5	7 -	0
3. "		•••	6 1	2 6	7	7 6	0	7	9 0	5	6 0	4	0 0	7	0	0	7 1	3 6		7 16	6	5 13 6	4	1 17 6	10	0 0	10 13	3 6	10	6 6	9	6 0	7	17	6
4 " •			8 1	0 0	9	8	0	9 1	2 0	7	2 6	5	11 6	9	0	0	9 1	8 0		10 2	6	7 12 6	(	6 I 6	13	0 0	13 18	3 0	14	2 6	12	6 0	10	1	6
5 , .			10	7 6	11	10	0	11 1	5 0	8 1	7 6	6	13 6	11	0	0	12	2 6		12 7	.6	9 10 0		7 6 0	16	0 0	17 2	2 6	17	7 6	15	6 0	12	6	0
If larger Uring add for each	als are rec h person	uired,	1 1	7 6	2	2 2	0	2	3 0	I I	5 0	I	2 0	2	0	0	2	4 6		2 5	6	1 17 6		7 6	3	0 0	3 4	<sub>1</sub> 6	3	5 6	3	0 0	2	7	6

The Planed Slate Urinals have both sides planed, but the Rubbed and Enamelled Slate are only rubbed and enamelled where seen, the two ends next to where wall would come being left planed.

Kindly note that the Enamelled Slate quoted for are only supplied in London, and that the colours of the Enamel are only self colours, such as Black, White, Green, Cream, Blue, or any of our Class I colours.

We shall of course be pleased to quote special prices when large quantities are required, or when the specification is different to that given above.

In the cases of Nos. 1, 2 and 3 Urinals, our prices include cost of White Earthenware Pans. For prices of Pans only, see page 14.

If Slate Channel and Paving are required, the prices will be as follows, packed in cases, and delivered f.o.b. London or Liverpool, with the Urinals:


11/4 inch Planed Slate Paving, cut to dimensions { Lot 1 sizes, 1/ per foot super } If rubbed one side, add 11/4d. per foot super.

Dished Slate Channel, rebated to take backs, and including Lead Bell Trap, with Brass-hinged Grating:

6 in.  $\times$  2 in.,  $1/9\frac{1}{2}$ d.; 8 in.  $\times$   $2\frac{1}{2}$  in., 2/9; 8 in.  $\times$  3 in., 3/; 9 in.  $\times$  2½ in., 3/; 9 in.  $\times$  3 in., 3/6; 10 in.  $\times$  3 in., 3/9; 12 in.  $\times$  4 in., 5/3; 12 in.  $\times$  6 in., 7/6; per foot run.

### ASHTON & GREEN'S SLATE ROLL RIBBING, Roll and Saddle detached.

In either Portmadoc or Bangor Slate, drilled ready for fixing.





Prices, f.o.b., London or Liverpool, in lots of not less than 150 feet run, including cost of cases or boxes.

	NUMBER OF	SIZES.	Diameter of Roll.	Width of Saddle each Side.	Price with Square Joints.	Price with Rebated Joints.		Number of lineal feet in a Ton.
No. 1. 7 Ro. No. 2. No. 3. No. 4.	oll and Ribbing comp	olete 	 $ \begin{array}{cccccccccccccccccccccccccccccccccccc$	7 inches 6 " 5½ " 5 "	s. d. $1   2\frac{3}{4}$ O II $0   8\frac{1}{2}$ O $6\frac{3}{4}$	s. d. $3\frac{3}{4}$ I o $9\frac{1}{2}$ o $7\frac{3}{4}$	Per foot run.	175 about 290 ,, 340 ,, 450 ,,

INSTRUCTIONS TO FIX.—The Wooden Ridge Piece should be kept up about 1\frac{1}{4} in. clear from the Slating and bevelled on each side, so that the upper edge of the ridge will rest solid on it, and the lower part will then bear lightly on the slating.—The Woodwork should be raised a little at the lower ends of the Hips, to allow for the springing.—Take care to break Joint, and bed the Joints well in Oil Cement. An extra security for transverse joints is to insert underneath them a strip of Zinc, fastened to the Wooden Ridge Piece; this has the same effect as a Rebated Joint.—

Bed the Rolis in Oil Cement.—The Screw holes should be first filled with Oil Cement, the Screws then put in, and the heads covered with the Cement.

All Specified lengths of Slate Ridging will be charged ½d. per foot extra.

### BEST QUALITY WRITING SLATES.

In cases containing 20 dozen, made up as follows:-

Framed Slates, 4 dozen each,  $8 \times 6$ ,  $9 \times 6$ ,  $10 \times 7$ ,  $11 \times 7$ , and  $12 \times 8$ , or 5 dozen,  $9 \times 6$ ,  $10 \times 7$ ,  $11 \times 7$ , and  $12 \times 8$ .

F.o.b., London, in lots of 2 tons and upwards, 35/6 per case.

F.o.b., Liverpool, in lots of 2 tons and upwards, 33/4 per case.

A Case weighs about 3 cwt.


A Second quality Slate can be supplied, but we do not recommend it.

### WILLIAMS'S PATENT SLATE RIDGING, Roll attached to one side.

In either Portmadoc or Bangor Slate, drilled ready for fixing.



Prices, f.o.b., London, Liverpool, or Hull, in lots of not less than 150 feet, including cost of cases or boxes.



Diameter of Roll.	Cover each side.	Round Top and Rebated Joint.	Round Top and Square Joint.	Square Top and Rebated Joints.	Square Top and Square Joints.	The Late Comme	Weight (about) per 100 feet run-
No. 1 $2\frac{1}{4}$ inches $\frac{2}{134}$ $\frac{13}{14}$ $\frac{13}{14}$ $\frac{11}{14}$ $1$	$5\frac{3}{4}$ inches. $5\frac{1}{4}$ ". 5 ". $4\frac{1}{2}$ ". $4\frac{1}{2}$ ". $6\frac{1}{2}$ ". 7 ".	s. d. I 2 I 0½ O II½ I 7 I 10	s. d.  1 I 0 II 1 0 IO 5 0 O 9 1 6 I 9	s. d. I 2 I 0 <sup>1</sup> / <sub>2</sub> O I1 <sup>1</sup> / <sub>2</sub> 	s. d. I I O 11½ O 10½ O 9½ O 9½	Per foot run. """"""""""""""""""""""""""""""""""""	8 cwt.  6 $\frac{3}{4}$ 5  4 $\frac{4}{4}$ 3 $\frac{1}{2}$ 13 $\frac{1}{4}$

Williams's Ridge, if of a Sharper Pitch than 90° will be charged a little extra.

For Instructions for Fixing see opposite page.

All specified lengths of Slate Ridging will be charged \( \frac{1}{2} \)d. per foot extra.

N.B.—In ordering Slate Ridging, be particular to specify whether A. & G.'s Detached or Williams's Patent.

Slate Ridging does not oxidise and discolour the Slates, as is the case with lead, nor is it likely to be stolen as metal often is.

### ASHTON & GREEN'S LATHED-TURNED SLATE COLUMNS.

Without Ferrules or Holes for Spindles. Any length not exceeding 7 feet, f.o.b., London or Liverpool, for quantities of not less than 100 feet. Including cost of boxes.

Diameter ... ... 3 inch.  $3\frac{1}{2}$  inch. 4 inch.  $4\frac{1}{2}$  inch. 5 inch.  $5\frac{1}{2}$  inch. 6 inch.  $6\frac{1}{2}$  inch. 7 inch. Prices... ... ... 2/2 ... 2/9 ...  $3/4\frac{1}{2}$  ... 4/1 ... 4/1 ... 5/9 ...  $6/6\frac{1}{2}$  ... 7/5 ... 8/4 per foot run


# BEST QUALITY SALT GLAZED DRAIN PIPES, GULLIES, TRAPS, SYPHONS, SINKS, &c., &c.

Delivered f.o.b. Liverpool	in	Bulk, in	lot	s of	IO	tons	and	upwards.	See designs on opposite page.
----------------------------	----	----------	-----	------	----	------	-----	----------	-------------------------------

	3	4	6	8	9	12	15	18	21	Inches.
Whole or Half-socketed Straight Pipes Approx. number of yards to 1 Ton	3 <sup>3</sup> 10d. 124	4 <sup>2</sup> / <sub>5</sub> d. 86	6 <u>3</u> d. 58	9¼d. 34	10 <sup>3</sup> / <sub>4</sub> d.	1/5½	2/3½ II	3/8	$\frac{6/3}{5\frac{1}{2}}$	per yard
Half or Channel Pipes, Socketed or Unsocketed, 2 ft. long Approx. number of yards to 1 Ton	2½d. 248	3d.	4½d.		6 <del>1</del> d.	9 <del>4</del> d. 38	$1/3\frac{1}{2}$	1/114	•••	per yard
Fire Clay Flue Linings Approx. number of yards to 1 Ton				8 <del>§</del> d. 36	10d. 32	1/3		•••		per yard
Unsocketed Drain Pipes Approx. number of yards to 1 Ton	2 <del>7</del> d. 124	4d. 86	5 <del>3</del> d. 58	8½d. 34	10d. 30	1/31/19	•••		•••	per yard
No. 40 Syphon Approx. number to 1 Ton	•••	9½d. 130	1/3½ 55	•••	2/5½ 24	•••	•••		•••	each.
No. 41 Syphon Approx. number to 1 Ton	•••	11½d. 77	1/6 37	•••	3/7	•••	•••	•••		each.
No. 38 S Trap or No. 1 to 3 Grid Trap Approx. number to 1 Ton	•••	10d. 80	1/3½ 50		$\frac{2/3\frac{1}{2}}{35}$	•••	•••	•••	•••	each.
No. 39 P Trap Approx. number to 1 Ton	•••	9 <del>1</del> d. 125	1/3	•••	2/3 48	•••	***	•••	•••	each.
No. 27 Gully Size of outlet Approx. number to 1 Ton	•••	•••	1/9 4 or 6 in 40	•••	2/10½ 4 or 6in 30	4/5 4 or 6 in 20	•••	•••		each.
No. 42 Yard Trap, Earthenware Grid Size of outlet Approx. number to 1 Ton	000	1/0¼ 4in: 101	1/6 4in. 83	•••	2/0½ 4in. 50	•••	•••	•••	•••	each.
Bristol P Traps, No. 33 or No. 34 Size of outlet Approx. number to 1 Ton	000	11d. 4in. 92	1/6 6in. 45	•••	3/3 9in. 32	000	•••	000	000	each.
No. 19 Flap Traps Approx. number to 1 Ton		2/0½ 110	2/6 80	***	4/2	6/4	11/3	17/	000	each.
No. 20 Block Traps Approx. number to 1 Ton		2/0½ 135	2/6		4/2 55	6/4	11/3 26	17/	000	each.
No 4 Rest Bend Approx. number to 1 Ton	***	•••	1/14	1/8	2/2	000	000	000	000	each.

Single Junctions, Bends, Taper Pipes, and Elbows charged as one yard, and Double Junctions as four feet of straight pipe. 24, 27, 30, 33 and 36 inch Drain Pipes can be quoted for on application.

nd	upwards	. See	e design	s on op	posit	e page.					
1								Price.		Weis	ght about
0.4	No. 12 Unio	n Tra	ps	•••	9	× 6	each	1/	***		os. each.
		"		•••	6	,, 6	"	8‡d.	•••	36	"
	No. 14 Stree				•••		,,	7/8	•••	379	"
	No. 21 Perfo	rated	Earthen	iware G	rates	9 in.	"	4§d.	•••	14	,,
	No. 22			,	"	12 in.	11	6 <u>1</u> d.	•••	24	,,
	1105		Grids, I				"	21d.	•••	13	,,
	110	•		Square			,,	3d.	•••	$2\frac{1}{2}$	59
	No. 25 8½ in	n.			(very	heavy)	"	10d.	•••	8	"
	No. 26 9 in				•••	•••	"	5½d.	•••	4 <u>1</u>	,,
	No. 13 12 il	n. X I	2 in. Blo	ock and	Iron	Grating	5 ,,	7\d.	•••	25	"
	No. 13	,,	Blo	ock only	y		11	$5\frac{1}{2}$ d.	•••	22	11
	No. 35 Air E	Brick 9	× 3	•••			,,	2½d.	•••	4	11
	No. 36 & 37			•••			,,	$5\frac{1}{2}d$ .	•••	8	,,
	No. 13 Mour	sev's	Patent	Waste !	Pipe	Protecto	r ,,	$9\frac{1}{2}d$ .	•••	22	11
13	Glazed Earth	enwa	re Gard	en Edg	ging	o in lon	g	C- 0-	(1		
	No. 28	3, 29,	31 and 3	32		P	er 1000 ±	5 05.	od. 44	cwt. pe	r 1000.
	Do. do.		do.	d	o. N	lo. 31	11	5 14	0	"	71
	Fire Clay in	bulk				•••			000	17/6 p	er ton.
	Time Class in	cask						•••	•••	28/6	"
	Brown Glaze	d Sink	s. 6 in.	deep ou	tside	, 4 in. in	side. Re	ebated h	ole.		
	Brown Glaze		× 18	outside			each	2/3	0 6 0	74 lbs	s. each.
			,, 16	,,		•••	,,	2/3		73	
			,, 18	,,			,,	2/5	000	86	11-9
			,, 16	,,		000	,,	2/5	•••	85	,,
		24	,, 18	,,		900	"	2/7	000	91	"
			,, 18	,,	000	•••	,,	$3/9\frac{1}{2}$	000	118	77
		00	,, 21	,,		•••	11	3/11	000	137	19
		26	,, 18	11	900	.500	,,	5/0		146	11
		36	,, 21	"		000	"	5/2	000	165	"
	Corner Sinks	7	,, 16	"			"	1/7	000	38	99
	3,7	0.0	,, 20	,,,		000	"	$2/3\frac{1}{2}$	000	60	99
	77		11	77			77	102			7 9



## BEST QUALITY SALT GLAZED DRAIN PIPES, GULLIES, TRAPS, SYPHONS, &c., &c.

Delivered f.o.b., London, in Bulk, in lots of 10 tons and upwards.

Syphons with Inlets           Price $1/2\frac{1}{2}$ $1/5\frac{3}{4}$ $1/10$ $2/11$ $4/11$ $4$ Yard Traps and Earthenware Grates           10\frac{1}{2}d. $1/0\frac{3}{4}$ $1/4\frac{1}{2}$ $2/1$ $3/6$ each. $4$ $4/1$ $4/1$ $4/1$ $4/1$ $4/1$ $4/1$ $4/1$ $4/1$ <th></th> <th>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</th> <th>1.0.0.,</th> <th>Donao</th> <th>11, 111 1</th> <th>Julia, II</th> <th>1015</th> <th>01 10 1</th> <th>ono an</th> <th>a apvva</th> <th>ar ab.</th> <th></th> <th></th>		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1.0.0.,	Donao	11, 111 1	Julia, II	1015	01 10 1	ono an	a apvva	ar ab.		
Butt Pipes, 2 feet long		and the second	3	4	6	8	9	,10	12		18		
Butt Pipes, 2 feet long	Socket Pipes, 2 feet long Price	3 <del>8</del> d.	4 <u>3</u> d.	5 <del>3</del> d.				1/7	1/113/4	$3/6\frac{1}{2}$		per yard.	
Approximate number yards to 1 Ton Approximate number to 1 Ton Ap			136			38	$31\frac{1}{2}$		19	12	$8\frac{1}{2}$		
Socketed Channel Pipes, 2 feet long						1 -					$5/0\frac{1}{2}$	per yard.	
Approximate number yards to 1 Ton   400   280   180   1124   76   63   48   38   24   17   17   17   18   17   18   18   18							The second of the second second second						
Unsocketed Channel Pipes, 2 feet long Price Approximate number yards to 1 Ton					1	9¾d.					4/I	per yard.	
Approximate number vards to 1 Ton Approximate number to 1		Andrew Control of the		The state of the s	The second secon					24	THE RESERVE AND ADDRESS OF THE PARTY OF THE		
Syphons and Circular Gullies     Price   Approximate number to   Ton     250   212   120   70     35     25   15     each.   Syphons with Inlets	Unsocketed Channel Pipes, 2 feet long Price			4\frac{1}{8}d.		9 <del>1</del> 8d.		$1/1\frac{1}{4}$			$3/8\frac{1}{2}$	per yard.	
Approximate number to 1 Ton   250   212   120   70   35     25   15     57			332	200		79		50	$42\frac{2}{3}$	25	20		
Syphons with Inlets	Syphons and Circular Gullies Price		Iod.	1/03/4	$1/5\frac{3}{4}$			•••		1 /	•••	each.	
Approximate number to 1 Ton     154   86   58     33     24		250	The second second second second	The same of the sa				•••		15			Ji
Yard Traps and Earthenware Grates   Price   Todd		•••				•••		••		•••		each.	4
Approximate number to 1 Ton   189   118   86     50		•••						•••		•••	•••		
Yard Traps and Earthenware Grates with Inlets   Price Approximate number to 1 Ton   1/3½   1/5½   1/9     4/8     34								•••			•••	each.	of
Approximate number to 1 Ton   180   100   77     48     34		•••					-	•••		•••	•••		
From Grates for Yard Traps   Price   Approximate Weight   Each in lbs.   Price   Approximate Weight   Each in lbs.   Price		•••				•••					•••	each.	
Approximate Weight   each in lbs.     2½   3   5     8     15		•••				•••				•••	•••		
Earthenware Grates	Iron Grates for Yard Traps Price	•••	3 <del>8</del> d.					•••			•••	each.	
		•••								•••			
S Traps	Earthenware Grates Price	•••				•••						each.	
Approximate number to 1 Ton 300 202 118 81 55 33 each. Approximate number to 1 Ton 300 202 118 81 55 33 each. Approximate number to 1 Ton 300 202 118 81 55 33 each. Approximate number to 1 Ton 300 202 118 81 55 33 each. Approximate number to 1 Ton 300 202 118 81 55 33 each. Approximate number to 1 Ton 300 202 118 81 55 33 each. Approximate number to 1 Ton 300 246 154 75 50 30 each. Approximate number to 1 Ton 300 246 154 75 50 30 each. Approximate number to 1 Ton 300 246 154 75 50 30 each. Approximate number to 1 Ton 150 102 75 30 22 15 each. Approximate number to 1 Ton 150 102 75 30 22 15 each. Approximate number to 1 Ton 150 102 75 30 22 15 each. Approximate number to 1 Ton		Annual Control of the						•••	-		•••		272
S Traps with Inlets            I.Id. $1/0\frac{1}{2}$ $1/2\frac{1}{4}$ $1/5\frac{1}{4}$ $2/2\frac{1}{2}$ $3/5$ each.           P Traps		The second secon	7 <sup>3</sup> / <sub>4</sub> d.									each.	
P Traps			The second secon		The state of the s	•••				•••			-
P Traps		The state of the s				•••		•••				each.	
Approximate number to 1 Ton 300 246 154 75 50 30			The same of the sa			•••		•••		•••	•••	122	
P Traps with Inlets	P Traps Price					••1						each.	P
Approximate number to 1 Ton 300 246 154 75 50 30  Flap Valve Trap			the second second second second			•••	The same of the same of the same of	1		•••	• • • •		
Flap Valve Trap						•••				•••		each.	A
Approximate number to 1 Ton		300	246					•••			•••		
Street Gullies, I ft. 6 in. or 2 ft. deep  .			•••	1		•••						each.	
Approximate number to 1 Ton		•••	•••	150	102	•••		•••	The second secon	_			
Street Gullies, 2 ft. 6 in. deep             3/7        5/4       8/3       11/       each.         Approximate number to 1 Ton	Street Gullies, 1 ft. 6 in. or 2 ft. deep Price			***	•••							each.	P
Approximate number to 1 Ton		•••		***	•••	•••		•••		11	1		A
Street Gullies, 3 feet deep		•••	•••	•••		•••						each.	13
Approximate number to 1 Ton		•••	•••	••	•••	•••							
Street Gullies, 3 ft. 6 in deep               7/       11// 3       each.         Approximate number to 1 Ton	Street Gullies, 3 feet deep Price		•••			•••	1					each.	
Approximate number to 1 Ton		•••	•••			•••	30	•••	-			-	
Street Gullies, 4 ft	Street Gullies, 3 ft. 6 in deep Price	•••	•••	•••	•••	•••	•••				14/3	each.	
Street Gullies, 4 tt		•••	•••		•••	•••	•••	•••	14	4			
Approximate number to 1 Ion                 7   5	Street Gullies, 4 ft Price	•••	000	•••	•••			•••	•••		17/6	each.	1
	Approximate number to 1 Ton	•••	000			•••	***	•••		7	5		1

See designs on opposite page.

Bends charged as 3 feet; Single Functions, Elbows, and Taper Pipes as, 4 feet; and Double Junctions as 6 feet of straight pipe.

# FLUE LININGS

in 1 foot or 2 feet lengths delivered f.o.b., London, in lots of 5 tons and upwards.

	Illeries			
	per yard	/73		$1/1\frac{1}{2}$
Approximate of yards	number to 1 ton	62		33.
	Inches	10		I 2
Price	per yard	1/33		1/10.
Approximate of yards	number) to I ton	26	000	20

Inches 6 ... 9

### SALT GLAZED SANITARY DRAIN PIPES.

For Prices see opposite Page.

BUTT. TAPER. No. I. No. 2.

BENDS.

No. 3. No. 4. ELBOW. No. 5.

No. 7. No. 6.

DOUBLE JUNCTIONS. No. 8.

No. 9.

SINGLE JUNCTIONS. No. 11. No. 12. No. 13. No. 10.

2ft. TUBES. No. 14.

No. 22.



GULLY TRAP

SYPHONS.



No. 24.



DRAIN MOUTH & FLAP. COVER PIPE. No. 17.



No. 25.



No. 18. 6. 9 and 12 inches.



No. 26.



YARD TRAPS with GRIDS. No. 19. No. 20.



No. 27.





P TRAP.



GRATE. No. 21.




S TRAP. No. 29.




GLAZED STONEWARE GARDEN EDGING. 9 inches long by 7 1/2 inches high.

This Edging is Manufactured in Vitrified Stoneware, and is imperishable. Prices, f.o.b., London, Liverpool, or Hull, in lots of 2 tons and upwards, including cost of skeleton cases. No. 2.


No. I.



3 cwt.




3 cwt.



No. 3, Small Cable.

No. 4, Large Cable.



3 cwt. per 100.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.: & TEMPLE GATE, BRISTOL.

June, 1887.

ce per 100 ... wht of tiles about

### SALT GLAZED SOCKETED DRAIN PIPES, TRAPS, GULLIES, SINKS, &c.

F.o.b., Hull, in lots of 10 tons and upwards.

Note.—Ordinary Quality Goods cannot be sent in same truck with Superior Quality.

		TRAIGHT PIF 2 feet Lengt		ROUND	GULLIES.		PHONS OR TRAPS.	SYPHONS W	TITH INLETS.	S or P TRAPS.	
Inches.	Superior Quality. Per yard.	Ordinary Quality Per yard.	Approximate number of yards to 1 ton.	Superior Quality. Each.	Ordinary Quality. Each.	Superior Quality. Each.	Ordinary Quality. Each.	Superior Quality. Each.	Ordinary Quality. Each.	Superior Quality. Each.	Inches.
2	s. d.	s. d. O $2\frac{1}{2}$	250	s. d. 	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	2
3	$0   3\frac{1}{2}$	0 31	130			0 10	o $10\frac{1}{2}$	I O	I $3\frac{1}{2}$	0 10	3
4	o 4 <sup>5</sup> / <sub>8</sub>	0 4	88	$I O_4^1$		$\mathfrak{l} = \mathfrak{o}_{4}^{3}$	I $O_4^1$	I $2\frac{1}{2}$	I 5½	I 03/4	4
5	•••	0 5\frac{1}{4}	65			•••	I 3 <sup>3</sup> / <sub>4</sub>	•••	I 83/4		5
6	0 7\frac{3}{8}	o 65/8	55	$1   2\frac{1}{2}$	1 7	I 8	I 7	I II	2 0	I 8	6
7	•••	0 78	49					•••			7
8	0 94	0 91/4	42				$I I I \frac{1}{2}$		$2   4\frac{1}{2}$	•-•	8
9	0 103	o $10\frac{1}{2}$	30	2 5	$2 7\frac{1}{2}$	$3   1\frac{1}{2}$	$2 7\frac{1}{2}$	3 5	$3   0\frac{1}{2}$	$3   1\frac{1}{2}$	9
10	•••	$I \qquad I\frac{1}{4}$	24	•••			•••	•••		•••	10
12	1 6	I 6\frac{3}{8}	18	4 8	3 6		•••	•••			12
15	$2 7\frac{3}{4}$	$2   2\frac{1}{4}$	12	6 4	$4   4\frac{1}{2}$		•••	•••		•••	15
18	3 103/4	$3  3\frac{1}{2}$	8	•••	6 3	•				•••	18

Taper Pipes, Bends, and Single Junctions charged as 1 yard of Pipe. Double Junctions as 4 feet.

Brown Glazed Sinks ... ... 24  $\times$  18 ... 30  $\times$  18 ... 30  $\times$  20 ... 36  $\times$  20 Outside sizes. s. d. s. d. s. d. s. d. s. d. Approximate Weight ... 32 ... 26 ... 323 ... 20 to 1 ton.

These Sinks can only be sent with Superior Quality Goods, or in 10 ton lots by themselves.

### BEST BROWN GLAZED SINKS, with Plain Sides.


Delivered f.o.b. London and Liverpool, in lots of 5 tons and upwards, as below.


### WITH REBATED HOLE.

				Approximate	LONDON.		LIVERPOOL.			Approximate	LONDON.	LI	VERPOOL. each.
								In.	In.	Weight.	each.		each.
					2/10			36 X	24	 200 ,,	 6/10		6/
					2/11			42 ,,	22	 215 ,,	 8/11		7/11
					3/5			42 ,,	24	 240 ,,	 9/3		8/
28	"	18		112 ,,	 3/9	•••	3/4	Angl	es.				
30	"	18		120 ,,	 4/		3/5	18 ,,	18	 50 ,,	 2/9		2/6
30	"	20	•••	133 ,,	 4/1		$3/6\frac{1}{2}$	20 ,,	20	 60 ,,	 3/1		2/10
36	"	22		180 ,,	 6/5		5/9	22 ,,	22	 75 ,5	 3/6		3/2

Length and Width outside: Depths, 42 and 36in... 6 in. outside ... 4 in. inside.

Other sizes ... 5 in. ,, ... 3½ in. ,,





# AIR-BRICKS in Stoneware or Buff Terra Cotta.

Stronger than iron, cannot rust, and require no painting.

Figure 23.











Figure 24. 14 in.  $\times$  9 in. ...  $2/11\frac{1}{2}$  each. ... 4/6 ,, ... 18 in. ,, 12 in. ... 6/ ,,

Delivered f.o.b. London or Liverpool, including cost of skeleton cases, in lots of 200 and upwards for the 9  $\times$  3; 100 and upwards for the 9  $\times$  6; 50 and upwards for the 9  $\times$  9, 12  $\times$  9, and 14  $\times$  9, and 25 and upwards for the 18  $\times$  9 and 18  $\times$  12. All the above are  $2\frac{1}{2}$  in. thick.

# BEST QUALITY CANE GLAZED EARTHENWARE SINKS.

WITH FLUTED SIDES.

Delivered f.o.b. London and Liverpool, in lots of 5 tons and upwards, including cost of skeleton cases.





		WIT	H	RE	BA	TED	HOLE.	Cane Colour.	(	Cane outside, and White Enamelled
							All	Each.		inside. Each.
Straight Sinks		17 it	1. X	13 i	n. X	3 in.	3.0	4/4	•••	6/6
,,		20	,,	15		$3\frac{1}{4}$ ,		5/3	•••	7/9
,,		24	,,	17	,,	$3\frac{1}{2}$ ,		7/	•••	10/3
,,		26	"	18	,,	$3\frac{1}{2}$ ,	·	7!	•••	10/3
,,		30	,,	19	,,	$3\frac{1}{2}$ ,,		8/8		12/9
,,		32	,,	21	,,	4 ,,		10/6	•••	15/3
,,		36	,,	22	,,	$4\frac{1}{2}$ ,		13/	•••	19/6
,,	•••	42	,,	24	,,	5 ,,		18/	•••	26/
,,		48	,,	24	,,	$5\frac{1}{2}$ ,,	2.3	28/3	May	40/
Angular Sinks	28					-	ep inside	6/3	•••	9/
	24	miles .				$3\frac{1}{2}$		4/6		6/6
,,		ngth ar	" id w	idth			,, Depth insid			

### BEST QUALITY PLAIN GLAZED BRICKS 9 × 4½ × 21/8.

Including cost of casks, f.o.b. ports given below, in lots of 10 tons and upwards. Weight of Bricks, three tons per 1000.


	WHITE.		BUFF AN	ND CREAM (	COLOUR.		Brown, Black, Grey, Sage Green, Light Green, Dark Green, Light Blue, and Dark Blue.  RED AND CORAL			RED.		
	LONDON.	LIVERPOOL.	HULL.	LONDON.	LIVERPOOL.	HULL.	LONDON.	LIVERPOOL.	HULL.	LONDON.	LIVERPOOL.	HULL.
Glazed on one side  Do. one end  Do. one side and one end  Do. $4\frac{1}{2}$ in. side  Do. Bull Nose or Chamfered  Do. two sides  Do. two ends  Do. one side and two ends  Do. two sides and one end	£ s. d. 12 2 6 11 5 0 13 17 6 13 17 6 13 17 6 15 15 0 13 0 0 16 12 6 17 10 0	£ s. d. 11 12 6 10 15 0 13 7 6 13 7 6 13 7 6 15 5 0 12 10 0 16 2 6 17 0 0	£ s. d.  11 2 6  10 5 0  12 17 6  12 17 6  12 17 6  14 15 0  15 12 6  16 10 0	£ s. d. 14 15 0 13 10 0 17 0 0 17 0 0 17 0 0 18 17 6 16 2 6 20 5 0 22 7 6	£ s. d. 14 5 0 13 0 0 16 10 0 16 10 0 16 10 0 18 7 6 15 12 6 19 15 0 21 17 6	£ s. d. 13 15 0 12 10 0 16 0 0 16 0 0 17 17 6 15 2 6 19 5 0 21 7 6	£ s. d. 16 12 6 15 5 0 18 17 6 18 17 6 18 17 6 21 2 6 18 0 0 22 7 6 24 15 0	£ s. d. 16 2 6 14 15 0 18 7 6 18 7 6 18 7 6 20 12 6 17 10 0 21 7 6 24 5 0	£ s. d. 15 12 6 14 5 0 17 17 6 17 17 6 17 17 6 20 2 6 17 0 0 20 17 6 23 15 0	£ s. d. 20 5 0 17 10 0 23 15 0 23 15 0 23 15 0 28 7 6 22 17 6 30 2 6 31 17 6	£ s. d. 19 15 0 17 0 0 23 5 0 23 5 0 23 5 0 27 17 6 22 7 6 29 12 6 31 7 6	£ s. d. 19 5 0 16 10 0 22 15 0 22 15 0 22 15 0 27 7 6 21 17 6 29 2 6 30 17 6

Special Prices for Ornamentally Coloured, Moulded, and GOOD SECONDS Bricks quoted on application; also for thicker Bricks.

Special shapes made to order.

### BEST QUALITY EARTHENWARE URINAL PANS.

Packed in covered crates, and delivered f.o.b., London or Liverpool, in lots of say 24 and upwards.



Height, exclusive of pipes 23

Width ... ... 14


White.

16/3

" back to front ... I5

Marbled.

18/6 each.







White. Marbled.

No. 25 ... 18/6 ... 21/- each.


" 25a ··· 15/- ··· 17/- "









No. 27.





Nos. 58 & 59. Lipped



No. 60. Angle




pipes.

Marbled.

11'- each.


White.


9/3



### QUALITY EARTHENWARE LAVATORIES AND BASINS.


In covered crates, and delivered f.o.b. London or Liverpool, in lots of 50 Basins, or 24 Lavatories, and upwards.






F.o.b. London ... No. 1, 15/ ... No. 2, 9/ ... No. 3, 5/ ... No. 5, 12/ each.

Size of Top Inside of Basin		•••			17 inches.				
Inside of basin	•••	•••	•••	121	"				
Shell supply; Soap Trays drained into overflow;									
White, 12/		N	Marble	. 14/	each.				






Size of Top					17 inches.	
Inside of Basin	•••			121	,,,	
Shell supply;	Soap Tr	ays drain	ned into	overflo	ow:	
White 14/		Marl	ble 1	6/3 e	ach	

No. 105.



With Brush and Soap Trays drained into overflow; Shell supply White, 19/3 ... Marble, 21/ each.

### No. 107.



Length of Side			***		- 1 1-	-L
Width		***		•••	14½ in	cnes.
				•••	20	11
Inside of Basin	***	•••	•••		13	,,
Shell supply	Soap '	Trays dr	ained into	overi	low:	"
White, 12/			Marble,	14/	each.	

### No. 110. Quadrant Cabinet Stand.



Width of Top				25 in	ches.
" Back to Front				181	,,
" inside of Basin	•••			$II\frac{1}{2}$	,,
Shell supply; Soap and Bru	ish Tra	ys draine	d into	overflo	w:
White, 15/9	. M	larble,	18/	each.	

### PLUG BASINS.

18 inches. Diameter outside 52 each. Without Overflow-White I 23 14 Do. Marble or Printed With Overflow—White ... 1/4 1/63 Do. Marble or Printed  $1 6\frac{3}{4} 1 9\frac{1}{2} 2 0\frac{3}{4} 2 7\frac{1}{2} 3 0\frac{1}{2} 4$ 

F.o.b. Liverpool or Hull ... No. 1, 13/6 ... No. 2, 8/ ... No. 3, 4/6 ... No. 5, 10/9 each.

Pierced under Rim, same price as overflow. Lion's Head Supply, 6d. each extra. Shell Supply same price as Lion's Head. Patent Overflow, 7d. each extra. Any of the above Lavatories can be made with Lion's Head Supply if required.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL.

June, 1887.

# DEAN'S PATENT STENCH, SILTH, AND GREASE TRAPS.

Certificate of Merit: Highest Award at the Exhibition of Sanitary Appliances, Newcastle-on-Tyne, 1882.

Certificate of Merit: Highest Award at the Sanitary Institute of Great Britain, Croydon, 1879.

Medal: International Exhibition, London, 1874.

Certificate of Merit: At the Social Science Congress, Norwich, 1873.




FIG. 3.

Plan of Trap, with Radiating Bricks,

Dean's Patent Stench, Silth, and Grease Trap possesses every essential property of a good Trap; it is simple, efficient, and is equally suited for the Public Building, the Mansion, or the Cottage, whilst its price is such as to bring it within the reach of all classes. It is already very extensively used, and is largely specified by Architects and Surveyors, and gives great satisfaction. The dip of the Trap is of such a depth that the removal of the receptacle does not unseal it.

A glance at the accompanying woodcuts will at once show the utility of the invention.

Fig. 1 is a sectional view when fixed of a double Trap for externally trapping house drains. It is made in two distinct parts—AA, the outer part, is made of stone ware, BB is a cast-iron receptacle. This receptacle is placed at the bottom of the outer part AA, the rim of same resting upon the ledges C in the position shown in section; D and E are two dips, which together form a double Trap, so that should the sewer gas by any extraordinary pressure force underneath the dip D, it would rise to the surface, and would not therefore communicate with the house; and the configuration and construction of the outer part A is such that no solid matter can rest anywhere but in the receptacle, which, by its handle, can be easily and readily removed, emptied of its contents, and replaced as required. This Trap should in all cases be placed outside the house, and can be made to trap sink, waste, bath, and other pipes, and any drain whereby sewer gas can find its way into a house, and, being placed at a point above the junctions of the water closet soil-pipes, it prevents any smell therefrom from backing up the other drains in the house. Its facilities for the collection and disposal of subsiding matters make it a first-class Grease Trap to place in the sculleries, &c., as the greasy matter and silth, which so often stop up a drain, will remain in the receptacle, and, as before stated, can be easily removed.

Fig. 2 is a perspective view of a Single Trap, which is very strongly recommended and largely specified. It is without doubt the best Gully Trap that has ever been brought before the notice of the public.

Fig. 3 shows a plan of Trap as fixed with grating and radiating bricks.

Fig. 4 shows the radiating bricks more clearly. These bricks are glazed and moulded to the proper radii, making a neat finish at the surface, and save the cutting of the pavement to the round collar of the Trap.

The Traps are also made of rectangular and square pattern.






FIG. 4. Sketch of Radiating Bricks.


# PRICES, INCLUDING CRATES AND DELIVERED F.O.B., LONDON OR LIVERPOOL, IN LOTS OF 24 AND UPWARDS.

28 3 each. 168 lbs. Circular, 12 in. ... Circular, 7 in. Circular, 18 in. 370 lbs. ... 45 - each. 366 ,, 10/- ,, 73 ,, Including the Cast Iron Grate, Receptacle, and Glazed Earthenware Radiated Bricks, complete. If a Double Trap is required the price will be 1/9 each extra.

## BELLMAN'S PATENT GULLY.

(STONEWARE)

SURFACE. AVOIDS ALL SPLASHING. FORMS DRAIN FOR AREA



EASY OF ACCESS FOR CLEANING. VENTILATES PIPES AND TRAP.

Size—16 in. by  $8\frac{1}{2}$  in. by 7 in. deep.

# RECEIVES & DISCONNECTS ONE RAIN-WATER PIPE & THREE WASTE PIPES.

THE ORDINARY P OR S TRAP to be used in connection with GULLY, being in a separate piece, can be placed at any angle to meet the drain exactly, thus ensuring a PERFECT JOINT, the Gully being placed at right angles. This is a GREAT ADVANTAGE over other arrangements made with the Trap in one piece.

Orders should state Size of Rain-Water Pipe and whether Round or Square.

DESCRIPTION FROM "THE ARCHITECT," August 26th, 1882.

The "Bellman" Gully is of stoneware, and intended to carry off the rain-water from the house, as well as through waste pipes, disconnecting the whole from the building so far as any contamination from the drain may be likely to accrue. It will be seen that it consists of an oblong vessel, its size being 16 inches by 8½ inches, by 7 inches deep. Over the bottom opening communication with the trap to the drain is placed a grating to prevent any pieces of foreign matter that may have escaped from sinks, &c., from entering the drain, and as the top grating is loose and large enough to obtain full access to the Gully, it can be easily and readily cleared at any moment. The water from the roof passing direct into the Gully prevents splashing, and to a certain extent this pipe acts as a ventilator to pipes and trap. But a most important advantage the "Bellman" Gully can claim over most others is, that by using a "P" or "S" trap, it can always be fixed at right angles, as the trap can of course be turned in any direction to meet the drain. Thus a perfect water-seal is always obtained, for should the weather be very dry and a deficiency of rain-water occur the constant influx of water from the waster-pipes of the household will effectually secure this against any amount of evaporation, and the constant influx of water from the waster-pipes of the household will effectually secure this against any amount of evaporation, and the constant changing of the water, so to speak, will keep it comparatively fresh. It will be seen that the appliance is of a most simple yet effective character, and it has received high encomiums from influential quarters. As the price at which it is offered is merely nominal, we expect to hear that it will shortly be very extensively adopted. We may add that the firm also manufacture single Gullies on the same principle for sink wastes only, which with ordinary care must always secure

Price, f.o.b. London, in lots of 12 and upwards, 10 - each. Not including P or S Trap. Galvanized Gratings, 1/6 each extra.

Single Gullies for Sink Wastes only, 46 each.

Including cost of skeleton cases.

The JUDGES Who AWARDED CERTIFICATE OF MERIT to the "WEATHERLY" SINK TRAP and the "WEAVER" SEWER AIR TRAP were :- W. H. CORFIELD, Esq., M.D.; WM, EASSIE, Esq., C.E.; ROGERS FIELD, Esq., M.I.C.E.; R. THORNE THORNE, Esq., M.B. (Local Government Board), and ERNEST TURNER, Esq., M.R.I.B.A.

### THE NEW REGISTERED Weatherly Disconnector Waste Water Trap,

For completely DISCONNECTING and TRAPPING the Waste Pipes of Sinks, Baths, Lavatories, Cisterns, &c., from the House Drains and Public Sewers.

Obtained Award of Merit, Medical and Sanitary Exhibition, South Kensington, August, 1881.

In consequence of the large demand for the Weatherly Traps, and in compliance with the repeated suggestions from Architects and others, a new and LARGER SIZE Trap is now made, to connect with 6 INCH DRAIN, and with inlet A, adapted to receive end of Rain Water Pipe.


Prices, f.o.b. London, in lots of six and upwards, including cost of skeleton cases:

For 4 inch Drain ... 14/- each. .. 6 inch do.

N.B.—A HEAD OR RECEIVER with Iron Grating and two or more inlets can now be had to fit on the top of these Traps. Rain-Water, Bath-Waste, and other Pipes can thus (as well as Sink-Waste) be all connected with one "Disconnector Trap."

### ADVANTAGES:

Perfect Disconnection from House Drain. Easily cleansed Syphon Trap to Waste Pipe. Efficient and Accessible GREASE TRAP. Waste-Pipe Discharge Concealed from View. Open Yard Gully, Strongly Trapped. No Splashing or Overflow Possible.



# Weaver's Ventilating Sewer Air Trap, as Sketch.

Prices, f.o.b. London, in lots of six and upwards, including cost of skeleton cases.


Certificates of Merit Awarded by the Sanitary Institute of Great Britain, International Medical, and Sanitary Exhibition, &c. Commended by many Medical Officers and Sanitary Engineers.

4 inch. 76 inch. 99

9 inch.

12 inch.

179



# BEST QUALITY EARTHENWARE CLOSETS.

Delivered f.o.b. London or Liverpool, including cost of crates, in lots of not less than 20. The 20 may be all one pattern or assorted.

### THE HOUSEHOLD CLOSET.




The Household Closet is specially designed to supply the demand for a superior Closet that will work satisfactorily in conjunction with Water Waste Preventers. The Rim, being Sharpe's Patent Rim, causes the water to flush all parts of the basin, and the water standing in bottom of Closet prevents the outlet from soiling-thus securing a clean basin.

PE	RIC	ES	


White						9/6	each.
39	and	Printed				11/3	35
		TRAPS	ALL	WH	TE.		

### THE ARISTON CLOSET

(BEAN'S PATENT.)



PLAN OF CLOSET.



The Ariston Closet has been specially designed for use as a Water Closet and Slop Sink combined.

The enlarged funnel-shaped basin admits of slops being emptied without splashing over, while at the same time it does interfere with the use of the basin as not interfere with the use of the basin as an ordinary Hopper Water Closet.

When this Closet is used, separate Slop sinks may be dispensed with; care being taken to provide in connection with the Closet a flushing cistern giving a rapid discharge of water.

PRICES. 21/9 each. White ... 24/6 ,, and Printed

The Basin with right-hand or left-hand side Inlet for waste pipe from Sink or Bath, 1/- extra.

TRAPS ALL WHITE.

(Continued on opposite page)

### BEST QUALITY EARTHENWARE CLOSETS—continued.

### THE VICTOR.

This Closet is what is usually termed a Washout, but the outlet from basin (which in the ordinary Wash-out is so great an eye-sore) is not visible. The Rim, being Sharpe's Patent Rim, causes the water to flush all parts of the basin—thus securing a clean basin. This Closet can be used with any two-gallon Water Waste Preventer giving a quick flush.



PRICES.	CES.
---------	------

I RICES.		
Cane and White	8/6 each.	
" " Printed	9/6 ,,	
White	9/6 ,,	
,, and Printed	11/3 ,,	
TRAPS CANE AND	WHITE.	

# THE ASHTON.

No. 34. With Sharpe's Patent Flushing Rim.



PRICES.

Cane a	and	White	•••		4/4	each.
55	33	Printed	•••	•••	5/3	35
White	***	•••	•••	•••	5/3	9.5
99	and	Printed	l	•••	63	55
		TRAPS	ALL	CANE.		

# CANE and WHITE PANS and TRAPS.

Packed 24 in a crate, and delivered f.o.b.,

London or Liverpool, in lots of 150 and upwards,

including cost of crates.

No. 5. Hopper.



No. 35. S Trap.



No. 5a. Cottage Basin, with Flushing Rim.



No. 36. P Trap.




No. 5. Cane and White inside Hopper, with either No. 35 S or 36 P Trap, complete ... 25 each.

No. 5a. Cane and White inside Cottage Basin, with either
No. 35 S or 36 P Trap, complete ... 3/-

### A. & G. BEST "CASK" BRAND PORTLAND CEMENT.

As supplied by us for Docks, Sea Walls, Water Works, and Public Works and Buildings, both at home and abroad.



For quantities exceeding 50 tons we shall be glad to quote special prices.

# PLASTER OF PARIS AND KEENE'S OR PARIAN CEMENT.


Superfine Plaster. Coarse Keene's Fine Keene's Coarse Fine Plaster. Plaster. or Parian. or Parian. od. per Cask of 2½ cwt. nett. Delivered f.o.b., London, in lots of 5 tons and upwards IIs. od. 7s. 10d. 4d. IOS. 13s.

" " Liverpool " " 6 3 7 5


Please note Plaster, Keene's and Parian can be sent in same truck, so any quantity of each can be shipped, provided not less than 5 tons are ordered.

# ASHTON & GREEN'S DESIGNS AND PRICES OF RED RIDGE TILES.

Architects can have their own Designs prepared with accuracy and despatch.



these goods are made from the be selected Clay.



RED RIDGE TILES, 12 inches long.

Delivered f.o.b. London, Liverpool, or Hull, in lots of 100 and upwards, packed in and including cost of skeleton cases.

Prices: No. 1, 4d.

Nos. 2 to 6,  $5\frac{3}{4}$ d.


Nos. 7 to 40, 9d. each.


Midge Intersections shown on page 22 and Finials on pages 22 and 23 can be packed with Ridges illustrated on this page; so also can Turner's Patent Ventilating Ridge Tile.


### RED RIDGE INTERSECTIONS.

Made to suit Ridges shown on page 21. In 12 inch lengths.





























Prices, f.o.b. London, Liverpool, or Hull, packed complete with Ridges or Finials shown on pages 21 and 23.

Nos. 1 to 5

36 each.

Nos. 6 to 12


4/4 each.

### RED FINIALS.

FROM LINCOLNSHIRE WORKS.









No. 2.




No. 3.



No. 4.




No. 5.



No. 6.

For prices see opposite page.

14/- each.





### RED FINIALS AND HIP ENDS FOR RIDGES.


(And continued on pages 25 and 26).


F.o.b. London or Liverpool, in lots of 24 and upwards, packed in and including cost of skeleton cases.


Any of the Finials on pages 25 and 26 can be packed with Finials illustrated on this page.














































### FINIALS.

E250 E251 E252 Ornaments E 253 E 254 E 255 E 256 E 259 1/10 each. 23 1/10 21 E302 E303 E304 E305 E306 E307 E308 E309 E310 26 26 26 26 26 26 26 26 26 26 Scale I inch to I foot.

The complete cost is ascertained by adding the price of Ornament to that of the Base required.

In ordering Finials please give the number of both Orament and Base.

Ornaments will fit any Base of the same letter.


HIP ENDS FOR RIDGES.

No. D	64	•••	•••		•••	1/4	each.
;,	66	•••		··· 1		1/7	·,,
"	68					1/7-	,,
- ,,	73				•••	1/10	"
• ,,	76			•••		2/	,,

### RED FINIALS—continued.

See opposite page for details of shipment.


In ordering Finials please give the No. of both Ornament and Base required. Ornaments will fit any Base of the same letter. Scale 1 inch to the Foot.



### RED FINIALS—continued.


See page 24 for details of Shipment.


Ornaments will fit any Base of the same letter. Scale I in. to I foot.





F 326 70°

Cctgl.









F 325

F 269

F 327


90° Octgl.

Ornaments Prices	s 	 F 262	F 263 3/6	F 264 3/6	F 265	F 266 F 267	F 268 6/	F 269 5/3 each.
Bases		 F 323	1	F 324	F 325	F 326	F 327	
Prices	•••	 6/3		6/3	6/3	6/3	6/3	each.


N.B.—In ordering please state Pattern No. of both Ornament and Base.

The complete cost is ascertained by adding the price of Ornament to that of the Base required.

Please note prices for Finials shown on this page and on pages 24 and 25 do not include Ridges (attached to



### PITCHES OF ROOFS.



BREAKAGES AND ACCIDENTS OF EVERY KIND ARE AT THE RISK OF PURCHASERS.

### BLUE SOUTH STAFFORDSHIRE GOODS.

In bulk, delivered f.o.b. London or Liverpool in lots of 10 tons and upwards.

Do. do.	70 0 0 2 17 6 78 0 0 3 5 0 70 0 0 3 0 3	BEST BLUE ROUNDED BRICKS TO PATTERN.  Approximate Weight.  Per 1000. $9 \times 4\frac{1}{2} \times 3 \dots 76 \text{ o o } \dots £4 \text{ 10 o o } \dots 68 \text{ o o } \dots 68 \text{ o o } \dots 69  o o o o o o o o o o o o o o o o o o $
Do. Blue on flat 9 , $4\frac{1}{2}$ , $2\frac{1}{8}$ 9 , $4\frac{1}{2}$ , 3 9 , $4\frac{1}{2}$ , 3 9 , $4\frac{1}{2}$ , $2\frac{5}{8}$ 9 , $4\frac{1}{2}$ , $2\frac{5}{8}$ 9 , $4\frac{1}{2}$ , 3 9 , $4\frac{1}{2}$ , 3 9 , $4\frac{1}{2}$ , 3 9 , $4\frac{1}{2}$ , 2 $\frac{5}{8}$ 9 , $4\frac{1}{2}$ , 2 $\frac{5}{8}$	70 0 0 3 3 3 78 0 0 3 8 3 78 0 0 3 19 6 70 0 0 3 13 0	Blue on flat, wire cut $9 \times 4\frac{1}{2} \times 3$ $78 \circ 0$ $366$ 6 Do $9 \cdot 4\frac{1}{2} \cdot 1\frac{1}{2}$ $40 \circ 0$ $326$ 6 Plain or Diamond $9 \cdot 4\frac{1}{2} \cdot 1\frac{1}{2} \cdot 1\frac{1}{4} \cdot $
Do. do 9 ,, $4\frac{1}{2}$ ,, $2\frac{5}{8}$ Internal and External Angles 9 ,, $4\frac{1}{2}$ ,, $2\frac{5}{8}$ Returns to Plinths 9 ,, $4\frac{1}{2}$ ,, $3$ Blue, on edge do. wire cut, special quality 9 ,, $4\frac{1}{2}$ ,, $3$ Pressed Blue Splays 9 ,, $4\frac{1}{2}$ ,, $3$ Pressed Blue Splays 9 ,, $4\frac{1}{2}$ ,, $2\frac{5}{8}$	74 0 0 3 19 6 66 0 0 3 15 6 Per doz 1 0 0 0 1 6 1 0 0 0 2 3 Per 1000 76 0 0 4 0 0 76 0 0 3 9 0 68 0 0 3 16 0	Do 9 , $4\frac{1}{2}$ , $2\frac{5}{8}$ 70 0 0 3 13 0 Do 9 , $4\frac{1}{2}$ , 3 78 0 0 3 19 0 Do. Do 10 , 5 , $1\frac{1}{2}$ 50 0 0 3 1 0 Do. Do 10 , 5 , $1\frac{1}{2}$ 58 0 0 3 6 0 Do. Do 10 , 5 , $1\frac{1}{2}$ 58 0 0 3 6 0 Do. Do 10 , 5 , $1\frac{1}{2}$ 81 0 0 4 0 6 Do. Do 11 , $10\frac{1}{2}$ , $10\frac{1}{2}$ 81 0 0 4 0 6 Do. Do 11 , $10\frac{1}{2}$ , $10\frac{1}{2}$ 83 0 0 4 12 6 Do. Do 12 , 6 , $10\frac{1}{2}$ 95 0 8 5 4 6 Do. Do 12 , 6 , $10\frac{1}{2}$ 105 0 0 5 16 0 Do. Do 12 , 6 , $10\frac{1}{2}$ 115 0 0 6 6 6 0 Ornamental 10 , 5 , $10\frac{1}{2}$ 115 0 0 6 6 6
Pressed Blue round nose 9 ,, $4\frac{1}{2}$ ,, 3  Blue, on edge do. wire cut, special 9 ,, $4\frac{1}{2}$ ,, 3  Pressed Blue round nose 9 ,, $4\frac{1}{2}$ ,, 2 $\frac{5}{8}$ Blue, on edge do. wire cut, special 9 ,, $4\frac{1}{2}$ ,, 2 $\frac{5}{8}$ Pressed Blue bull nose 9 ,, $4\frac{1}{2}$ ,, 3  Blue, on edge do. wire cut, special 9 ,, $4\frac{1}{2}$ ,, 3  Pressed Blue bull nose 9 ,, $4\frac{1}{2}$ ,, 3  Pressed Blue bull nose 9 ,, $4\frac{1}{2}$ ,, 2 $\frac{5}{8}$ Blue, on edge do. wire cut, special 9 ,, $4\frac{1}{2}$ ,, 2 $\frac{5}{8}$ Returns to Cants or Splays, Bull nose and Round nose	76 0 0 4 0 0 76 0 0 3 9 0 68 0 0 3 16 6 68 0 0 3 5 0 9er doz 1 0 0 0 1 8 2 0 0 0 3 4	BLUE STABLE PAVINGS.  I, 2, 3, 4, 6 or 8 Divisions.  Grooved and chamfered

Splays made to any Bevil, and Round and Bull Nose to any Raulus.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL.

### BLUE SOUTH STAFFORDSHIRE GOODS—continued.

BLU	E CH.	ANNEI		work with Stable I	Pavings, an	nd Sough	h	BLUE COPINGS—continued.	
Channels Do.			O1	r Plain Channels.  Length Width Thickness  9 X 14 X 3  9 , 14 , 2 $\frac{5}{8}$ 9 , 12 , 3  9 , 12 , 2 $\frac{5}{8}$ 9 , 9 , 12 , 2 $\frac{5}{8}$ 9 , 9 , 12 , 2 $\frac{5}{8}$ 9 , 9 , 9 , 3  9 , 9 , 2 $\frac{5}{8}$ 9 , 12 , 3 $\frac{1}{2}$ 12 , 9 , 12 , 4 $\frac{1}{2}$ 9 , 12 , 6  12 , 6 , 3  9 , 4 $\frac{1}{2}$ , 3	Approximate Weigh Per doz. Cwt. qrs. lbs. 3	Print Per	doz. 6 0 5 II 4 6 4 6 3 4 5 0 5 5 0 7 6 8 6 2 0 2 3 I I	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 5 2 0 5 4½ 0 3 5 Per 1000, 4 7 6 Per doz. 0 3 5 0 4 7
Do. Do.				$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 3 0 1 0 0		4 II I 8½		6 6
Air Bricks Do.				AIR BRICKS 9 × 3 × 3 9 ,, 6 ,, 3	0 2 0 0 3 14		3 9 6 3	The above Bull Nose Copes are made Single or Double and Plain or Diamond Tops.	12 0
Ridge Do.				LUE COPINGS.  Workway Width Height $3 \times 9 \times 4\frac{1}{2}$ 9 , $4\frac{1}{2}$ , $3\frac{3}{4}$ 9 , $6\frac{1}{4}$ , $3\frac{3}{4}$ 3 , 11 , $5\frac{1}{2}$ 12 , 12 , $3\frac{1}{2}$ 12 , 12 , $3\frac{1}{2}$ 13 , 13 , 15  14 , 12 , $3\frac{1}{2}$ 15 , 12 , $3\frac{1}{2}$ 17 , 12 , $3\frac{1}{2}$ 18 , $3\frac{1}{2}$ , $4$ 19 , $3\frac{1}{2}$ 10 , $3\frac{1}{2}$ 11 , $3\frac{1}{2}$	Per 1000.  57 I 0 62 2 0 71 2 0 72 0 0 88 0 0 Per doz.  2 2 0 3 2 0 2 0 0 2 I I4	4 4 4 5 5 0 0 0	1000. 0 6 2 9 2 6 0 0 7 6 7 doz. 4 8 5 2 3 4 1 2 4 2 4 2 4	Best Pressed Plain Roofing Tiles, Red, Brown, or Brindled (about 600 cover a square) Holed and Nibbed	Per doz.  3 6  3 0
Do. Do. Do. Do. Do. Do.				$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 0 0 2 2 7 2 3 0 3 0 0 3 2 0 3 3 7 3 2 14	0	1 8 5 6 6 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	BLUE AND RED.  Approx. Weight Per 1000.  12 × 12 × 2 £ 10 5 0 10 tons.  12 , 12 , 1 $\frac{1}{2}$ 8 12 6 $7\frac{1}{2}$ , Do. do. do. 16 , 9 , $3\frac{1}{2}$ 3 20  Do. do. do. 16 , 9 , $4\frac{1}{2}$ 3 20	5/2 6/6 7/II Per 100.

### NORTH STAFFORDSHIRE GOODS.

In bulk, delivered f.o.b. London and Liverpool in lots of 10 tons and upwards.

The required weight can be made of one or any number of the tiles or bricks quoted for on this page. Please see opposite page for special parcels of North Staffordshire Goods.

The required weight can be made of one or any number of the tiles or bricks quoted for o	n this page. Please see opposite page for special parcels of North Staffordshire Goods.
FLOORING TILES.	ROOFING TILES.—HAND-MADE QUALITY.
PRESSED ORDINARY QUALITY.  LONDON.  Red and Blue.  Buff.  LIVERPOOL.  Approximate Weight.  Weight.	Plain Blue Roof Tiles LONDON. LIVERPOOL. Weight. T. C.
fs. d. f. e. d. f. e. d. T. C.	" Red " $f_2$ 3 0 $f_1$ 16 6 1 5 per 1000
$4 \times 4 \times \frac{7}{8}$ Quarries $1  9  3  1  12  0   1  7  3  1  9  6  0  9 \text{ per 1000}$	" Brown (or Broseley Coloured) Roof Tiles PRESSED QUALITY.
$7\frac{1}{2}$ , $7\frac{1}{2}$ , $1\frac{1}{8}$ , 3 10 8 4 0 6 3 0 8 3 10 6 1 18 ,	Plain Blue Roof Tiles)
9 , 9 ,, 14 ,, 5 3 0 6 0 0 4 6 0 5 3 3 3 5 ,,	,, Red ,, 2 3 6 I 17 0 I 3 ,, Brown (or Broseley Coloured) Roof Tiles
$9 , 9 , 1\frac{1}{2} , \dots 6                                 $	Ornamental Roof Tiles (see designs on page 34) 2/6 per 1000 extra.
PRESSED CROWN QUALITY.	Pierced Tiles for Nailing 2/6
4 × 4 × 78 Quarries 1 14 9 1 19 6 1 12 1 1 16 10 0 10 ,,	Eaves Tiles, same price as Plain Tiles.  Tile and Half to break joint, double price of Plain Tiles.  Approximate Weight.
Brand 6, , 6, , 1 , , 2 8 5 2 19 0 2 2 1 2 12 8 1 4 ,, $7\frac{1}{2}$ ,, $7\frac{1}{2}$ ,, $7\frac{1}{8}$ , 4 1 8 4 12 6 3 11 2 4 2 0 2 0 ,,	Valley Tiles, 3 to a foot, 4 inch gauge $2\frac{1}{2}$ d. each $2\frac{1}{2}$ d. each 4 lbs. each.
$=$ 9, 9, $1\frac{1}{4}$ , 5 16 3 6 17 6 4 17 9 5 19 0 3 10 ,	Hip Tiles do. do $2\frac{3}{4}d$ . ,, $2\frac{3}{4}d$ . , 4 ,,
$9 , 9 , 1\frac{1}{2} , \dots 6 17 0 7 18 6 \dots 5 16 0 6 17 6 4 0 \dots$	Ventilating Roof Tile $2\frac{3}{4}d$ . ,, $2\frac{5}{4}d$ . ,, $2\frac{7}{4}d$ . ,
PRESSED DOUBLE CROWN QUALITY.  4 × 4 × 7 Quarries 1 18 8 2 4 Q 1 16 Q 2 1 5 Q 10	Small do $2\frac{2}{3}d$ . , $2\frac{2}{3}d$ . , $3$ ,
$4 \times 4 \times \frac{7}{8}$ Quarries 1 18 8 2 4 0 1 16 0 2 1 5 0 10 ,, 6 ,, 6 ,, 1 ,, 3 1 5 3 11 8 2 15 2 3 5 5 1 4 ,,	Wall Tiles for upright Tiling £3 5 0 £2 17 0 per 1000, 30 cwt.
9,,9,,1\frac{1}{4},, 617 3 7 18 0 5 18 9 7 0 0 3 10 ,,	TERRO METALLIC GARDEN EDGING TILES.
Brand 6 ,, 6 ,, 1 ,, Hexagon 3 13 6 4 3 8 3 7 8 3 17 10 1 2 ,, Octagon 1 12 6 5 2 2 4 6 2 4 17 0 1 4	LONDON. LIVERPOOL. Approximate Weight.
■ □ " " ( & Dots) + 12 0 5 3 2 ··· + 0 2 1 ··· + 0 1 ··	Per 1000. Per 1000. T. C.
6 ,, 4 ,, 1 Strips 2 9 0 2 14 0 2 4 9 2 9 8 0 16 ,, 6 ,, 3 ,, 1 ,, 1 18 6 2 3 7 1 15 3 1 19 5 0 12 ,,	No. 2 Cable, Solid 9 $\times$ 6½ £4 4 6 £3 15 6 1 15 per 1000 9 ,, 7 5 11 6 5 1 0 2 0 ,,
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	", 3 O.G. Fluted 9 ", $7\frac{1}{2}$ 4 II 3 4 I 3 I IS ",
$6, 1\frac{1}{2}, 1, \dots 156 1110 \dots 139 193 06,$	", 4 ", Plain   9 ", $7\frac{1}{2}$ 4   1   3 4   1   3 1   18 ", 5   Panelled 9 ", 8 5   2   9 4   12   3 2   0 ",
6,, 1,, 1,, 1 1 6 1 6 9 1 0 5 1 5 8 0 4 ,,	", 6 Indented 9 ", $7\frac{1}{2}$ 4 9 4 4 0 3 1 15 ",
RIDGE TILES.	", 7 Plain Semi-circular pattern 9 ", $7\frac{1}{2}$ 4 5 4 3 14 9 1 15 ", 8 O.G. Fluted 7 7 2 13 6 2 6 6 1 7
Blue, Red, or Brown Colours. (See designs on page 38.)  Approximate	", 8 O.G. Fluted 7 ,, 7 2 13 6 2 6 6 1 7 ,, 9 Roll Top, Fluted & Dowelled 12 ,, 8 8 14 0 7 16 6 3 10 ,,
LONDON. LIVERPOOL. No. of Tiles each. to Ton.	,, 10 ,, Plain ,, 12 ,, 8 8 9 6 7 10 0 3 10 ,,
Plain Ridge Tiles, 6 inch wings, 18 inch lengths 3d 2\frac{3}{4}d 180  Do. do. 7 do. do 3\frac{3}{4}d 3\frac{1}{2}d 150	", 10 ", " Solid " 12 ", $7\frac{1}{2}$ 6 10 0 5 15 0 3 0 ", If peaked abeleton eases will be charged as follows as a constant $(N_0, 2)$ 3 4 5 6 7 8 9 10
Capped do. 6 do. do $3\frac{1}{2}$ d $3\frac{1}{10}$ d 150	If packed, skeleton cases will be charged as follows, per 100 tiles 2/9 2/9 2/9 2/9 2/9 2/9 2/3 5/ 5/
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	AIR BRICKS.  Including cost of cases in lots of 50 and upwards.  GRIDS.
Rolled do. 6 do. do $\frac{5}{8}$ d $\frac{48}{9}$ d 120	RED. BLUE OR BUEF Including cost of cases in lots of 50 and upwards.
Rølled & Capped 7 do. do $7\frac{1}{2}$ d $6\frac{1}{4}$ d 90	In.
If packed, skeleton cases will be charged as follows, per 100 tiles:— Plain. Capped. Rolled & Capped.	$9, 6, 3, \dots 6\frac{1}{4}d., \dots 5, \dots 9, 9, 2\frac{1}{4} \dots 6\frac{1}{7}, \dots 132$
6 inch wings 9/6 11/ 18/3 —	$\begin{bmatrix} 12 & 1 & 9\frac{1}{2} & 1 & 3 & \dots & 2/2 & 1 & \dots & 11 & 1 \\ 14 & 1 & 9\frac{1}{2} & 1 & 3 & \dots & 2/10 & 12 & \dots & 12 & \dots & 12 & \dots & 10/2 & \dots & 240 & \dots & 12 & \dots & $
	14 11 72 11 3 11 2/10 11 11 12
Head Offices: BURY STREET LONDON F.C. Branchos:	HOIRODN WADIOT EC. O. TENDIE CATE

# In addition to the NORTH STAFFORDSHIRE GOODS quoted for on opposite page we can offer the following special makes of these goods from other works, in bulk.

ORDINARY PRESSED BLUE OR RED QUARRIES.

In lots of 10 tons and upwards.

					don.			o.b. erpool.		eight.
6 in. × 6 in. × 1 in.	per	1000	£2	I	6	£I	15	3	24 cwt.	per 1000.
9 in. × 9 in. × 1 1/4		"	5	4	6	4	7	6	65 ,,	,,

Blue Terro Metallic Ridge Tiles, 18 in. long.
In lots of 10 tons and upwards.

Plain	6 in	Wings		F.o.b. London. 3½d.	F.o.b. Liverpool.	No. per ton about.
1 Talli	0 111.	** IIIS				100
"	7	"	"	3½d.	3 <sup>1</sup> /8d.	150
Capped	6	,,	,,	33/8d.	3d.	150
, , , , ,	7	"	,,	37/8d.	3 ½ d.	140
Rolled	6	,,	,,	45/8d.	4d.	120
"	7	,,	"	53/4 d.	5¼d.	110

If packed, skeleton cases will cost as follows per 100 tiles:—
6 in. Wings Plain 6s. 3d. Capped 7s. od. Rolled 9s. 6d.
7 ,, 7s. od. ,, 7s. 6d. ,, 10s. 6d.

BLUE TERRO METALLIC GARDEN EDGINGS.

In lots of 10 tons and upwards.

				F.o.b. ondon.	F.o.b. Liverpool.	Weight per 100 about.
No. 1.	Ball Pattern	per 100	£1	12 6	₹1 10 0	9
No. 2.	Cable	,,	0	9 7	0 8 7	4
No. 3.	Fluted	,,	0	8 10	0 7 10	4
No. 4.	O G Plain	"	0	8 10	0 7 10	4
No. 5.	Panelled	,,	0	9 4	0 8 4	4
No. 6.	Indented	"	0	9 I	0 8 I	4
No. 7.	Semicircular	,,	0	8 10	0 7 10	4
No. 8.	O G Fluted	,,	0	5 0	0 4 5	$2\frac{1}{2}$
No. 9.	Rolled Top Fluted	,,	0	13 10	0 I2 I	6
No. 10.	" Plain	,,	0	13 4	0 11 7	4
No. 11.	Beaded Pattern	"	0	12 0	0 10 9	4

If packed, skeleton cases will be charged as follows per 100 tiles:

No. 1 2 3 4 5 6 7 8 9 10 11
4/8 1/8 1/5 1/5 1/8 1/7 1/5 1/2 3/4 3/4 2/8

18 ,, 12 ,, 3

### BEST QUALITY NEWCASTLE FIRE BRICKS, LUMPS, &c.

In bulk, delivered alongside export vessel in London in lots of 15 tons and unwards.

	III bulk, de	silvered alongside	export vessel	in London, in lots	of 15 tons and upw	arus.		
Square Fire Bricks  Arch do  End Wedge do  Bull Head do  Side Bevel do  End Bevel do	9 $\times$ 4 $\frac{1}{2}$ $\times$ 2 $\frac{1}{2}$ 9 ,, 4 $\frac{1}{2}$ ,, 2 $\frac{1}{2}$ to I 9 ,, 4 $\frac{1}{2}$ ,, 2 $\frac{1}{2}$ to I 9 ,, 4 $\frac{1}{2}$ to 3 $\times$ 2 $\frac{1}{2}$ 9 ,, 4 $\frac{1}{2}$ ,, 2 $\frac{1}{2}$ ,, 2 $\frac{1}{2}$	$\frac{3}{4}$ 2 16 0 $\frac{3}{4}$ 2 16 0 $\frac{3}{4}$ 2 16 0	Approximate Weight. Per 1000. 60 cwt 50 ,, 50 ,, 50 ,, 50 ,,	End Bevel Fire Bricks Feather Edge do. Closiers do. Splits do. Do. do.	9 to 5 $\times$ $4\frac{1}{2}$ $\times$ $2\frac{1}{2}$ 9 ,, $4\frac{1}{2}$ ,, $2\frac{1}{2}$ 9 ,, $2\frac{1}{2}$ ,, $2\frac{1}{2}$ 9 ,, $4\frac{1}{2}$ ,, $2$ 9 ,, $4\frac{1}{2}$ ,, $1\frac{1}{2}$	£2 1 2 1 2 1	Price. r 1000. 16 0 10 6 10 6 12 6	Approximate Weight. Per 1000 50 Cwt 30 ,, 30 ,, 30 ,, 50 ,,
End Bevel do	9 to 7 ,, $4\frac{1}{2} \times 2\frac{1}{2}$	2 16 0	5° "   LUMPS Al	ND TILES.	<i>y                                    </i>			
44 × 12 × 6	Price. Approximate $3/4\frac{1}{2}$ 224 lbs	s. each. 24 × 10 2		rice. Approximate $\frac{7}{48}$ 84 lbs.		Price.		Approximate Weight
38 ,, 12 ,, 6	$3/2\frac{1}{4}$ 196					$1/9\frac{1}{2}$		119 lbs. each.
					22 ,, 22 ,, 3	1/81/4		102 ,,
		,, 20 ,, 10 ,			20 ,, 20 ,, 3	$1/3\frac{3}{4}$		84 "
34 ,, 12 ,, 6		,, 18 ,, 10	THE RESERVE TO THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAME	1	" 18 " 18 " 3	I/I½		70 ,,
27 ,, 12 ,, 6	2/3 140	,, 20 ,, 9			$18 , 18 , 2\frac{1}{2}$			58 "
24 ,, 12 ,, 6	$1/10\frac{1}{2}$ 119	,, 18 ,, 9			,, 16 ,, 3	11½d		58 "
18 ,, 12 ,, 6	1/43/4 91	,, 16 ,, 9			", I4 ", I4 ", $2\frac{1}{2}$ "		All Control	. 35 "
24 ,, 18 ,, 3 ,	$1/4\frac{3}{4}$ 91	,, 14 ,, 9	$\frac{1}{1}$ , $4\frac{1}{2}$		,, 12 ,, 12 ,, 2	$3\frac{3}{4}$	,	20 ,,
28 ,, 12 ,, 3	$1/1\frac{1}{2}$ 70	,, 12 ,, 9	", $4\frac{1}{2}$	$6\frac{3}{4}$ d 35	"," I2 ", I2 ", $\frac{1}{2}$	2780	l	13 ,,
24 ,, 12 ,, 3	11½d 60	,, 24 ,, 9	,, 3	9d 46	", IO ,, IO ,, 2	27/80	l	14 "
20 ,, 12 ,, 3	$9\frac{1}{4}$ d 49	,, 20 ,, 9	,, 3	$7\frac{7}{8}$ d 38	" IO " IO " II			11

30 ,, 10 ,, 5 2/3 28 ,, 10 ,, 5 1/81 26 ,, 10 ,, 5 1/47

Other size Fire Lumps to order.

9d.

2 03

1/44

Ground Fire Clay, in 10 cwt. casks, 29 per ton.

7\frac{1}{4}d.

5\d.  $4\frac{1}{4}d$ .

41d.

41d.

41d.

Special prices for lots of 50 tons and upwards.

 $1\frac{1}{2}d.$ 

1 ½d.

10 ,, 10 ,,  $1\frac{1}{2}$ 

### BEST QUALITY WELSH FIRE CLAY GOODS

In Bulk, delivered free alongside export vessel in Liverpool, in lots of 40 tons and upwards.

									Price.	Approxi	mate Weight.	1							Price.		Approximate Weight.
Blue Fire Bricks	•••	•••	8¾ in	1. X 4	44 in.	× 2½ in.	£2 3	op	er 1000	60 cw	t. per 1000	Blue or White	e Slabs	•••	•••	20 ir	n. 🗙 10 in	. × 21 in		each	35 lbs. each
Do.	•••	•••	9	,, 4	4 <del>3</del> 8	$,, 2\frac{1}{2}$	2 5	8	"	63 ,,	"	Do.		•••	*	22	,, 12	$,, 2\frac{1}{2}$	8d.	"	45 ,, ,,
Do.	•••	•••	9	,, 4	18	,, 3	2 12	3	,,	77 ,,	"	Do.			•••	24	,, 12	$,, 2\frac{1}{2}$	$8\frac{4}{5}$ d.	"	50 ,, ,,
White Fire Brick	S		9	,, 4	18	$,, \frac{2\frac{1}{2}}{2}$	2 7	10	,,	63 ,,	,,	Do.			•••	24	,, 12	,, 3	rod.	"	65 ,, ,,
Do.			9	,, 4	18	,, 3	2 14	6	, ,,	77 ,,	"	Do.	· William		•••	30	,, 12	,, 3	$1/2\frac{1}{2}$	"	80 ,, ,,
Blue Pressed Stab	le Bricks		9	,, 4	$\frac{1}{2}$	$,, 2\frac{1}{2}$	2 15	9	,,	70 ,,	"	Do.			•••	36	,, 12	,, 3	$1/6\frac{1}{2}$	"	100 ,, ,,
Do.			9	,, 4	$\frac{1}{2}$	,, 3	3 I	9	"	80 ,,	"	Blue or White	e Bearers		•••	12	,, 9	,, 4	3 <del>§</del> d.	,,,	34 ,, ,,
Do.		•••	9	,, 4	12	$,, 3\frac{1}{2}$	3 7	9	"	90 ',,	,,	Do.		• • •		14	,, 9	,, 4	4 <del>1</del> d.	"	40 ,, ,,
Blue or White Squ	uare Tile	s	9	,, 9		$,, 1\frac{3}{8}$	3 14	10	,,	80 ,,	,,	Do.	.9676			16	,, 9	,, 4	5 <del>4</del> d.	,,	45 " "
Do.			9	,, 9		,, I <sup>3</sup> / <sub>4</sub>	4 6	II	,,	100 ,,	"	Do.				18	,, 9	$,, 4\frac{1}{2}$	$6\frac{3}{5}$ d.	,,,	50 ,, ,,
Do.		•••	9	,, 9		,, 21/4	6 0	0	"	140 ,,	,,	Do.		•••		20	,, 9	,, 4½	8 <del>1</del> d.	,,	60 ,, "
Do.			9	,, 9		,, 3	8 1	0	,,	180 "	"	Do.			•••	22	,, 10	,, 4½	10\frac{1}{4}d.	,,	75 " "
Do.		•••	12	,, 12		$,, 1\frac{1}{2}$	7 13		"	160 ,,	"	Do.		•••		24 ·	,, 10	,, 5	1/2	11	90 ,, ,,
Do.			12	,, 12		,, 2	2	d.	each	24 lbs.	each	Do.				26	,, 10	,, 5	$1/3\frac{3}{4}$	",,	100 ,, ,,
Do.		•••	14	,, 14		,, 21/4	54	d.	,,	35 ,,	"	Do.	119	•••		28	,, 10	,, 5	1/8	,,	112 ,, ,,
Do.			16	,, 16		$,, 2\frac{1}{2}$	91	d.	,,	50 ,,	,,	Do.				30	$,, 10\frac{1}{2}$	$,, 5\frac{1}{2}$	$1/9\frac{1}{2}$	"	130 ,, ,,
Do.			18	,, 18		$,, 2\frac{1}{2}$	1	11/2	"	65 ,,	,,	Do.				33	$,, 10\frac{1}{2}$	,; 5½	$2/0\frac{1}{2}$	"	150 ,, ,,
Do.			20	,, 20		$,, 2\frac{3}{4}$	1	/54	"	85 ,,	,,	Do.				36	$,, 10\frac{1}{2}$	,, 5½	2/4	"	160 ,, 11
( Do.		•••	22	,, 22		,, 3	I	11	"	115 ,,	"	Malt Kiln Tile				12	,, 12		4 <u>3</u> d.	"	16 ,, ,,
Do.			24	,, 24		,, 3	2	13	,,	130 ,,	,,	Blue Gutter B	ricks		•••	9	,, 9	,, 3	3d.	"	14 ,, ,,
Rebated Tiles		•••	18	,, 18		,, 4	I	/4	,,	105 ,,	"	Do.		•••	•••	12	,, 6	,, 3	3d.	"	12 ,, ,,
Do.	***		20	,, 20		,, 4		/7	"	115 ,,	,,	Do.			•••	12	,, 9	n 3	3 <del>7</del> d.	,,	18 ,, ,,
Do.	•••	•••	22	,, 22		,, 4	2	/1才	"	150 ,,	,,	Do.		•••		18	,, 9	$,, 4\frac{1}{2}$	7 <del>3</del> d.	"	40 ,, ,,
Do.		•••	24	,, 20		,, 4	2	11	,,	150 ,,	,,	Boiler Seating				12	,, 10	,, 9	11 <del>3</del> d.	11	56 ,, ,,
Do.		•••	24	,, 24		,, 5	3	/71	"	200 ,,	"	Do. Flue Co			•••	12	,, 18	,, 3	11½d.	,,	50 ,, ,,
Furnace Doors	•••	•••	14	,, 10		,, 2	41/8	d.	,,	18 "	,,	Plain Ridge Ti	iles, 6 in.	Wings,	18 in. l	ong	919	•••	2½d.	,,	15 ,, ,,
Do.			16	,, 10		,, 2	54	d.	"	22 ,,	,,	Capped do.		do.					3 <del>1</del> d.	,,	17 ,, ,,
Do.	900	•••	18	,, 12		,, 2	64	d.	,,	26 ,,	,,	Roll do.		do.			•••	4	9.1	,,	23 ,, ,,
Do.	•••		20	,, 12		,, 2	74	d.	"	32 ,,	,,	9 in. Flue Lini	ngs, 12 i	n. long .	- This	•••	40		1	,,	24 ,, ,,
Blue or White Sla	abs		14	,, 10		,, 21	378	d.	"	22 ,,	,,	10 do.	A STATE OF	do		•••	•••		-71	11	32 ,, ,,
Do.				,, 10		,, 21	5d		,,	25 ,,	,,	11 do.		do			000		4 <sup>2</sup> / <sub>5</sub> d.	17	36 ,, ,,
Do.		•••	18	,, 10		,, 21	53	d.	"	30 ,,	"	12 do.		do		•••	•••	•••	5d.	,,	40 ,, ,,
Best	Ground 1	Fire C	Clay, in	bulk,	11/3 ]	per ton.	Do.	pacl	ked in c	asks, 22/6	per ton.	Special prices	for large	quantii	ties.	Any	size Lum	ps, Tiles,	&c., made	to ord	er.


# BROSELEY ROOFING AND RIDGE TILES.


F.o.b. London or Liverpool in lots of 10 tons and upwards.

The Roofing Tiles in bulk and Ridge Tiles packed as described.


		, , , ,							LONE			LIVER		w W	eight a'	pout .
No I Best Pressed Hol	ed and Wills a Di	· Dasfag'	Tilos1	Cath Dad Da	α.	1 D	11 1	D	£ s.			£ :		 lons.	cwt. q	rs. lbs.
No. 1 Best Pressed Hole	ed and Nibbed Pla	un Koomig	Thes, $10\frac{1}{2}$ X	$6\frac{1}{2}$ , in Red, Bro	own, Str	awberry, or Br	indled	Per 1,000	2 0	0		I I,	7 0	I	0	0 0
No. 1 Do.	do.	do.		but Blue	•••	•••	•••	,,	2 5	6		2	2 6	I	0	0 0
Or	namental Tiles (.	see patterns	Nos. 2 to 10	o below) 2s. 60	d. per 1,	,000 extra.										
No. 14 Size-and-Half-ti	le to break joints	at Gables						"	4 5	6		3 10	) 0	I	17 :	2 0
Quoined Tiles for Hips	(3 to a foot-run)							Per dozen	0 3	3 1/2		. 0	3 3	0	0	I 20
Do. Valle								,,	0 3	I	1	0	3 01	0	0	I 20
Plain Ridges, 12in. long	(including packi	ng in cases	or casks in l	ots of not less	than 5 c	dozen)		,,	0 5	0		0	1 11	0	I	I O
Do. 18in.	do.	do.		do.		•••		,,	0 6	0		0	5 10	Ö	I	3 14
Capped Ridges, 18in. lo	ng do.	do.		do.				,,	0 7	9		0	7 7	0		0 0
Rolled do. 18in.	do.	do.		do.			•••	,,	0 9	3			9.0	0	2	2 0
No. 5 Ridge Tile (see	page ) 12in. lo	ng do.		do.				,,	0 8			0	8 4	0	I	2 14
																4571

Broseley Ornamental Ridge Tiles made to designs shown on Page 21 can be supplied at 12|- per dozen, packed in cases or casks, for not less than 5 dozen; f.o.b. London or Liverpool.

























### PATENT MACHINE-MADE HOLED AND NIBBED

# PRESSED RUABON ROOFING TILES, &c.

Prices in bulk, f.o.b. Liverpool, in lots of 20 tons and upwards.

These Tiles are non-absorbent and quite impervious to moisture.

They will not vegetate and are imperishable in any climate.

										Appre	ox. we	ignt.
						£	s.	d.		T.	c.	qrs.
Plain Tiles, $10\frac{1}{2}$ in. by $6\frac{1}{2}$ i	n., Red, Brown	n, or Brine	dled		•••	2	0	9 per 100	00	I	I	0
Ornamental do.	do.	do				2	3	3 ,,		0	18	0
Plain Tile-and-Half, 101 in	1. by $9\frac{3}{4}$ in., for	Gables				3	II	0 ,,		I	12	0
Plain under Ridge Tile, 9	in. by $6\frac{1}{2}$ in.	•••				2	0	9 ,,		0	18.	0
Plain under Eaves Tile, 7	in. by $6\frac{1}{2}$ in.					2	0	9 ,,		0	15.	0
If required Blue						0	5	0 ,,	extra.			
Hip Tiles						0	3	o per do	Z	4	o lbs	S.
Valley Tiles						0	3	o "		4	0 ,,	
TTT 117 C	17 0	, , , ,	D . 7	7.7 7	,			7 . 7				

We can supply any of the Ornamental Red Ridge Tiles shown on page 21 in this clay, at 1 11 per foot run, including cost of cases.

### SILICA OR DINAS FIRE BRICKS 9 × 4½ × 2½.

Square or any shape not above this size,

For Steel Melting Furnaces, Copper Furnaces, Glass Works, Iron Works, Gas Works, or any Furnaces in which extreme heat is required.

For orders of 5,000 and upwards. Prices f.o.b. Hull, 86 -: Liverpool, 94 -: London, 102 - per 1,000.

### GROUND GANISTER

For Bessemer Convertors, Steel Melting Furnaces, Cupolas, &c., &c.

In casks and delivered f.o.b. Hull ... 326 per ton. Liverpool 353 " London.. 379 ...

In lots of 10 tons and upwards.

### FINE GROUND CEMENT

Patching Retorts, Furnaces, &c.

Delivered in sacks f.o.b. Hull ... 379 per ton. Liverpool.. 406 ...

London ... 43'- ,,

In lots of 10 tons and upwards.

### 12 in. x 12 in. MALT KILN TILES

Of specially prepared quality, made from the well-known Farnley Clay.

Delivered f.o.b., London or Liverpool, in lots of 500 and upwards.

Salt Glazed ... 87d. ,, ,, Liverpool.


... 9\frac{3}{4}d. each, f.o.b. London. | Special Glazed ... 1\frac{1}{4} each t.o.b. London. Do. ...  $1/1\frac{1}{4}$ 

" Liverpool.

Plain ... Ornamental (as above) 10d. each.

TURNER'S PATENT.

In 12 inch lengths.



The illustration represents Turner's Patent Ventilating Ridge, which is so constructed as to The illustration represents Turner's Patent Ventilating Ridge, which is so constructed as to allow the impure or light air freely to escape without admitting rain or moisture, even in the stormiest weather, thus overcoming the great objection to nearly all Ventilating Ridges—that of rain drifting in. Each Ridge acts as a separate ventilator, so that the circulation will be perfect through the whole length of the roof. The use of this Ridge will considerably reduce, if not entirely prevent, the wind blowing the slates or tiles off, or loosening them, by providing an outlet way out on the other side by lifting the slates or tiles from their fastenings. The Ridge will not also would be most effectually ventilated.

The Ornamental Ridge is adapted for Churches, Schools, Public Buildings, Mansions, Factories, Warehouses, and other high-class Buildings. The Roll Ridge is especially adapted for Farm Buildings, and, in fact, for any Building requiring a cheap, continuously self-acting Ventilator.

When it is required to replace ordinary ridging with this Patent Ventilating Ridging, all that is necessary is to chisel a piece off both sides of the Ridge Board just underneath the Chamber in the Ridge, but this is not necessary when the top lath and tile, or slate, are fixed one inch down the spars or rafters from the Ridge Board, though in some cases it has been done. The fixing of the Ridge is very simple. These Ridges are anade of the best clay, and will therefore stand as long as the building, and cannot possibly get out of order.

The first Prize and Silver Medal for the Best Roof Ventilator, in a competition open to the whole world, at the Dairy Show (Agricultural Hall), London, 1884, was awarded to TURNER'S PATENT VENTILATING RIDGE TILE.

Prices, f.o.b. London, Liverpool, or Hull, in lots of 100 and upwards, including cost of skeleton cases.

### WESTMORELAND GRINDSTONES—equal to Bilston.

F.o.b. in lots of 5 tons and upwards, in bulk.

			LONDON.		LIVERPOOL OR HULL.				LONDON.		LIVERPOOL or HULL.				LONDON.	1	LIVERPO OR HUL	
Diameter.	Thickness.		Each.		Each.	Diameter,	Thickness.		Each.		Each.	Diameter.	Thickness.		Each.		Each	i.
it. in.			£ s. d.		£ s. d.	ft. in.			£ s. d.		£ s. d.	ft. in.			£ s. d.		£ s.	d.
1 0	2 to 4 inches	•••	0 2 $11\frac{1}{2}$	•••	0 2 9	2 4	2 to 4 inches		0 9 3	•••	o 8 $8\frac{1}{2}$	3 0	6 inches	•••	I 3 0	•••	0 18	9
1 2	do.	•••	0 3 5		0 3 $1\frac{1}{2}$	2 6	do.		0 10 7		0 9 4	3 0	7 do.	•••	1 5 6		1 0	0
1 4	do.	•••	0 4 0		$0 \ 3 \ 7\frac{1}{2}$	2 8	do.		0 13 4		0 11 10	3 0	8 do.	•••	176		I 2	0
1 5	do.	•••	0 4 8		$0 \ 4 \ 3\frac{1}{2}$	2 10	do.		0 14 11		0 13 3	3 6	6 do.		1 13 3		I 8	9
1 6	do.		0 5 3	•••	$0 \ 4 \ 9\frac{1}{4}$							3 6	7 do.		1 15 3		1 10	0
I 8	do	•••	0 5 10		0 5 3	3 0	do.	•••	0 18 6	•••	0 16 9	3 6	8 do.		1 18 6	•••	I 12	6
1 10	do.		0 6 5		0 5 9	3 2	do.	•••	I I 4	•••	0 19 6	4 0	8 do.		2 12 0		2 4	3
2 0	do.		080	4.3.4	0 7 2	3 4	do.		I 4 7		I 2 6	5 0	8 do.	• • • • •	5 13 6		5 0	0
2 2	do.		0 8 6		0 7 8	3 6	do.		1 8 3		1 5 9	6 0	10 do.		8 0 0	•••	6 16	0

### BEST QUALITY NEWCASTLE GRINDSTONES.

Delivered f.o.b. in London, in bulk, in lots of 5 tons and upwards.

		Denvered 1.0.b.	III Dondon, in bui	k, III 10t5 01 5 to	ns and upwards.			
Inches. Inches.	£ s. d.	Inches. Inches.	£ s. d.	Inches. Inches.	£ s. d.	Inches. Inches.	£	s. d.
IO X 2	each o I 23/4	42 × 6	each I 0 3	60 × 9	each 4 13 2	66 × 11	each 6 1:	2 0
$12, 2\frac{1}{2} \dots$	,, 0 1 5	$45 ,, 6\frac{1}{2}$	,, 1 8 11	60 ,, 10	,, 4 17 0	66 ,, 12	,, 7	7 0
$14 ,, 2\frac{1}{2}$	,, o I 9	48 ,, 7	,, 1 18 6	60 ,, 11	,, 5 0 6	68 ,, 9	,, 7	1 6
$15 ,, 2\frac{1}{2}$	" O I IO	48 ,, 8	,, 2 I IO	60 ,, 12	,, 5 4 2	68 ,, 10	,, 7	7 0
$16, \frac{2\frac{1}{2}}{16} \dots$	,, 0 I IO	50 ,, 9	,, 2 11 6	62 ,, 9	,, 4 19 0	68 ,, 11	,, 7 1	2 3
17 ,, 3	,, 0 2 $6\frac{1}{2}$	50 ,, 10	,, 2 14 7	62 ,, 10	,, 5 2 8	68 ,, 12	,, 7 1	7 6
18 ,, 3		52 ,, 9	,, 3 0 6	62 ,, 11	,, 5 6 3	70 ,, 9	,, 7 1	
• 20 ,, 3	,, o 3 $0\frac{3}{4}$	52 ,, 10	,, 3 3 9					
21 ,, 3	,, $\circ$ 3 $\circ \frac{3}{4}$	54 ,, 9	,, 3 7 0	62 ,, 12	,, 5 10 3	70 ,, 10	,, 8	
$24  , ,  3\frac{1}{2}  \ldots$	,, 0 4 $5\frac{3}{4}$	54 ,, 10	,, 3 10 2	64 ,, 9	,, 5 8 2	70 ,, 11	,, 8	
26 ,, 3½	,, 0 5 41/4	56 ,, 8	,, 2 11 5	64 ,, 10	,, 5 11 4	70 ,, 12	,, 8 1	1 8
28 ,, 4	,, o 6 $1\frac{1}{2}$	56 ,, 9	,, 3 12 9	64 ,, 11	,, 5 15 2	72 ,, 9	,, 9	0 7
$32$ ,, $4\frac{1}{2}$	,, 0 9 $2\frac{1}{2}$	56 ,, 10	, 3 16 6	64 ,, 12	,, 5 19 0	72 ,, 10	,, 9	7 6
36 ,, 5	,, 0 12 5	58 ,, 9	,, 4 0 4	66 ,, 9	,, 6 4 0	72 ,, II	,, 9 1	4 3
39 ,, 5	,, o 15 $3\frac{1}{2}$	58 ,, 10	,, 4 3 9	66 ,, 10	,, 6 8 0	72 ,, 12	··· ,, IO	0 0

## LONDON SIZE BRICKS 9 × 4½ × 2½.

Delivered alongside export vessel, in London, in lots of 30,000 and upwards.

					£	s.	d.			Approximate Weight.	
Shippers			•••		I	15	o p	er 1000	•••	50 cwt.	
Stocks					I	6	0	,,		50 ,,	
The above can be sent in same barge.											
Dark Red	Facing	s	•••	•••	2	5	0	,,		54 ,,	
Pale	do.		•••		2	4	0	,,		54 ,,	
Ordinary	Second	Red	Builders	•••		I	3	,,		54 ,,	
Inside Re	d Build	ers	•••		I	19	3	,,		54 ,,	
These Red Bricks can all be sent in one barge, so a selection can be made if two											
or more qualities are required.											

# BATH, CORSHAM, & MONKS PARK STONE

OF THE VERY BEST QUALITY,

As supplied to the undermentioned buildings:

WOOL EXCHANGE, Basinghall Street, LONDON, E.C. NEW CHURCH, Catford Bridge, LONDON, S.E. NEW BUILDINGS, Queen Victoria Street, LONDON, E.C. HOTEL & RAILWAY STATION for G.E.R. at HARWICH. HORNE CHURCH, SURREY.
CRESSINGHAM MANSION, READING.
CHRIST CHURCH, BRADFORD, YORKSHIRE.

ST. PAUL'S CHURCH, WORCESTER.
THE CATHEDRAL, TRURO.
CHURCH OF SACRED HEART, EXETER.
CHURCH OF ST. DAVID'S, CARDIFF.
CHURCH OF ALL SAINTS', TORQUAY.
SCIENCE AND ART MUSEUM, DUBLIN.


### PRICES:

			I ICIODO					
F.o.b	. London in lot	1/8 per	foot c	ube.				
		50		•••		1/71/2	"	
F.o.b	. Liverpool in 1	1/93/4	"					
	. Bristol	do.	do.			1/1	"	
		do.	do.	•••		2/	,,	1. II H.
F.o.b	. Southampton	do.	do.	• • •	• • •	1/4	,,	4
	In the usual size	blocks.	About 16 feet o	ube are est	imated i	o weigh on	e ton.	

# ROBSON'S PATENT DRIP TILES,

FOR WEATHERING CORNICES, CHIMNEY STACKS, PARAPETS, PARTY, EXTERNAL, AND GARDEN WALLS.

BY SPECIAL APPOINTMENT TO THE METROPOLITAN BOARD OF WORKS.



Prices f.o.b. London, including cost of skeleton cases, in lots of 250 and upwards.

No. I Tile is adapted to the weathering of cornices; being made of Terra Cotta, it forms a hard weathering and top member, the lower edge being hollowed forms a proper finish and drip, which prevents the rain water running down the face of the mouldings.

No. 2 Tile is adapted to the weathering of walls, chimney stacks, &c., it forms a neat finish to the wall, and entirely prevents the rain water washing out the mortar joints and perishing the work; it is 60 per cent. cheaper than the ordinary tile creasing and makes a better finish; these tiles have been highly approved of by the profession, and are being largely used.

### RED UNPRESSED HAND-MADE SQUARE QUARRIES.

Approximate Weight. 12 in. x 12 in. x 1½ in. 51 tons

Price

78. 6d. per 1000 f.o.b. London, in lots of 15 tons and upwards.

If taken ex coasting vessel the price will be £7 10 per 1000.

### IMPROVED OVEN TILES MADE SPECIALLY FOR BAKERS

Size 12 in. x 12 in. x 2 in. Weight per dozen about 2 cwt. o qrs. 16 lbs.


7/9 per dozen in bulk, f.o.b., London only.


9/9 per dozen if packed in skeleton cases containing 3 dozen and upwards, f.o.b., London only.

#### BEST QUALITY BUFF ADAMANTINE 6 x 21/2 x 13/4 STABLE CLINKER PAVING BRICKS.

Delivered in bulk as below in lots of not less than 15,000.

London. Approximate Weight Liverpool. Per 1000. Per 1000. Per 1000. Plain 16 cwt. 17S. 6d. 13S. Chamfered ... 16 cwt. 13








For Pitches see page 27.

For prices see pages 30 and 31.

In ordering please state pitch and quote from diagram.







## IRON DEPARTMENT.


A few prices of General Marble and Iron Goods are given on the following pages, but we publish large comprehensive Catalogues which we will forward free on application.

4 us layes and Pushing Cases extra-

NET TRADE PRICES.


ASHTON & GREEN'S

No. 5 Design. BOXED CHIMNEY PIECE, with Moulded Caps and Bases.



NET TRADE PRICES. ASHTON & GREEN'S

No. 123 Design. BOXED CHIMNEY PIECE, with Moulded Bases and Ornamental Blockings and Caps.




| Piers, | Shelf | Class I. | Sicilian | Marble, | Marble, | Marble, | With Blk, Mts. | Wit

NET TRADE PRICES.

ASHTON & GREEN'S

No. 205 Design. BOXED CHIMNEY PIECE, with Moulded Truss.




Piers. Shelf. Enamelled State. Sicilian Marble. Vein Marble. Rouge Marble. 8 in. 9 in. 35/ 33/ 38/6 43/6 9 ,, 10 ,, 37/ 36/6 41/6 47/6 10 ,, 11 ,, 39/ 39/6 45/ 52/

NET TRADE PRICES.

ASHTON & GREEN'S

No. 120 Design. BOXED CHIMNEY PIECE, with Moulded Shelf, Trusses and Bases.




Piers.	Shelf.	Class 1. Enamelled Slate.	Sicilian Marble.	Vein Marble.	Rouge Marble.	St. Anne's Marble.
8 in.	9 in.	39/	40/	45/	51/	54/9
9 ,,	10 ,,	42/	41/6	47/6	53/	56/3
10 ,,	II "	45/	43/6	49/	57/	58/6
II "	12 ,,	50/	46/	52/6	62/	66/6
12 ,,	13 ,,	55/	48/6	55/	66/9	71/8

NET TRADE PRICES.

ASHTON & GREEN'S


No. 4½ B Design. BOXED CHIMNEY PIECE, with Moulded Shelf, Panels and Trusses.



NET TRADE PRICES.

ASHTON & GREEN'S

No. 140 Design. BOXED CHIMNEY PIECE, with Moulded Shelf and Mouldings in Arches.



86/3

All Chimney Pieces on this page are delivered to London docks.

12 ,,

14 ,,


13 ", 55/ 48/6 55/ 66/9 71/8

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL

No. 76.

#### CHEAP REGISTER STOVE.

Sizes, from 18 to 38 inches.



Full Fine Cast Register

F.O.B. GLASGOW,

No. 1526.

No. 1525.

#### STRONG REGISTER STOVE.

NEW REGISTERED DESIGN.


ASHTON & GREEN'S

"THE EXCHANGE,"

With Fret to make Slow Combustion Fire, but which by being removed

leaves an Ordinary Fire.

New Registered Design Bold Projecting Canopy Tile Grate.




No. 1804.

ASHTON & GREEN'S THE NEW REGISTERED DESIGN,

"THE GENERAL."

Tile Grate, made on the Improved System of converting a Slow Combustion to an Ordinary Fire, or vice versâ.



No. 1662.

ASHTON & GREEN'S

NEW REGISTERED DESIGN TILE GRATE.

"THE ASHTOREEN,"

With Improved Fire-Brick Back. (Can only be purchased from A. & G.)

No. 1304.

ASHTON & GREEN'S REGISTERED DESIGN TILE GRATE, "THE NONPAREIL,"

With Improved Circular Fire-Brick Back. (Can only be had from A. & G.)

以及自然有效有效有效有效有效有效有效的

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT E.C.; & TEMPLE GATE, BRISTOL.


June, 1887.

Packages and Packing Cases extra.

# THE "SHERBROOKE" PATENT COOKING REGISTER STOVE.

ILLUSTRATION I.

Showing the Oven placed in for Cooking.



GUARANTEED TO CURE SMOKY CHIMNEYS.

#### DESCRIPTION.

Illustration I represents the Stove with the Consuming Chamber closed over the fire and the Oven placed in for cooking, and when no longer required for this purpose the oven is easily removed, and Illustration 2 represents it with the Oven taken away and the Hot Plate thrown back; an ordinary Open Fire is then obtained. The smoke has to pass over a Plate before entering the Side Flues; as this Plate becomes heated, the smoke is consumed, and a draught in the Stove itself obtained, and we guarantee it will thoroughly cure any hitherto incurable smoky chimney. It has been successfully fixed where every other attempt has failed.


#### ITS GREAT ADVANTAGES are-

It is a certain cure for a Smoky Chimney. It is a Fuel-saving Grate. It is a Smoke-consuming Grate. The Prices do not exceed those of the ordinary Register Grate of equal weight and finish.

It has the appearance of a handsome Hob Stove, which can be with the greatest ease converted into a useful Cooking Range, and the Oven is guaranteed to bake equal to any Oven in the best Close Fire Kitchener ever manufactured, and between the Oven and the Hot Plate there is room to put a saucepan, boiler, frying pan, or kettle.

It is a great Hear Generator. The Fues being constructed at the side of the Stove, and the Consuming Chamber being placed directly over the fire, perfect combustion is obtained; moreover, all the cold air must pass through the Consuming Chamber, and thus becomes heated before it enters the chimney; this precludes all possibility of a down draught. The heat that in an ordinary stove goes up the chimney is with this stove given out into the room.

ILLUSTRATION II. Showing the Perspective and the Oven taken away.



that this most valuable invention cannot fail to be a great boon in Nurseries, Apartments, Model Dwellings, Cottages, &c.; and it is supplied in superior Finishes for Dining Rooms, Libraries, &c. It does not require an experienced man to fix it, as it is merely placed in the opening of the brickwork and filled up at the back with fine gravel or sand. It is important to fill up behind with this or similar material, as by so doing the greatest amount of heat is obtained, and with a very small fire a large room can be heated. It will its save cost in the smaller consumption of fuel compared with any other Grate in less than Twelve Months.

#### IT CAN BE SEEN IN USE IN OUR LARGE OFFICES, 11 to 15, BURY STREET, ST. MARY AXE, E.C.


Sizes Price without Oven, Fine Cast and Blacked ... £1 15 3 £1 16 0 £1 16 10 £1 17 8

Ground Front and Berlin Black ... £2 2 5 £2 3 3 £2 4 0 £2 4 10 in. wide. £2 II 8 Ovens for sizes up to 30 in., 7/3 each extra; ditto 34 in., upwards, 8/5 each extra.

F.O.B. LONDON.

TH

# Self-Setting Patent "Sherbrooke" Range.



With Oven and Boiler on top of hot plate; 24 inches high from ground, hot plate 17 inches deep (by constructing the boiler on the hot plate a larger oven is obtained in the smaller size).

			DIII							
Sizes			•••		28			30		inches
Width	of Oven				13			15		,,
"	Fire	•••	000		7			7		,,,
Price	•••			£3	3	3	£3	8	0	each.

DELIVERED F.O.B. LONDON.

THE

# "Sherbrooke" Patent Self-Setting Cooking Range.


CERTAIN CURE FOR SMOKY CHIMNEYS.

FUEL SAVING & SMOKE CONSUMING,
AND SELF-SETTING.

#### DESCRIPTION.

THIS Range is made on the same principle as the Patent "Sherbrooke" Register. The centre panel over the fire is hollow, and before the smoke enters the flues it has to pass over the surface of the heated plate: this not only consumes all the worst of it, but prevents any cold air entering the flues, and it is therefore obvious that a great amount of fuel is saved. In addition to this, a great advantage is obtained by the quickness with which a fire can be lighted, and in a marvelously short time a kettle full of boiling water can be obtained. with the least possible consumption of fuel. The hot-plate smokeconsuming chamber creates a draught, and immediately the fire is lighted the flames (there being no other outlet) lick round this plate over which the kettle is placed. In answer to objections which might be raised that this rapid draught would consume more fuel, we beg to point out that it is regulated by means of the damper, and that, as it is impossible for cold air to get into the flues, every particle of fuel is utilised. The smoke-consuming panel can be thrown back, and in this way it is converted into an ordinary open fire.

Self-Setting Patent "Sherbrooke" Regices.



With Oven and Side Boiler; 27 inches high from hot plate, 18 inches depth of hot plate. ground to

Sizes ... ... 30 33 36 39 42 in. Width of Oven ... 12 14 15 16 18 ,, Fire ... 6 6 7 7 8 ,, Oven and Boiler ... £2 12 10 £2 16 10 £3 3 3 £3 12 0 £4 1 8

Sizes 24 26 30 33 36 39 42 in. Width of Oven 10 12 14 14 15 16 18 ,, Do. Fire 6 6 6 6 7 7 8 ,, Sham \$\frac{1}{2}\$ 16 10 £2 1 8 £2 8 0 £2 12 10 £3 0 0 £3 8 0 £3 19 3

If with hood to make into an open fire, 7/ each extra.

DELIVERED F.O.B. LONDON.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL.

June, 1887.

Packages and Packing Cases extra.

527.

THE "VICTORIA"

CAST IRON

## MANTEL REGISTER.

(New Registered Design).

Sizes ... 24 30 36 inches.



NET TRADE PRICES.

Fine Cast, with Fret to make either Slow Combustion or Quick Draught Fire.

Mantel Register (as drawn)  $3\frac{3}{4}$ d. per inch, in all sizes. Mantel Sham,  $2\frac{5}{8}$ d.


F.O.B. LONDON.

No. 1301.

CAST IRON

## MANTEL REGISTER.

THE FERN PATTERN.



NET TRADE PRICES.

Sizes ... 18, 20, 22, 24, 26, 28, 30, 32, 34, 36 inches.

Mantel Sham ... ... 2\frac{3}{8}d. per inch.

Mantel Register (as drawn) ... 3\frac{3}{8}d. ,,


F.O.B. London.

No. 1553.

NEW DESIGN

CAST IRON

## MANTEL REGISTER.



NET TRADE PRICES.

Sizes A to B		• • •	20	24	30 in.
Mantel Register (as draw Cast and Blacked			6/3	7/6	9/3
Mantel Sham	•••		4/3	5/	6/3

F.O.B. LONDON.

75/ each.

# ASHTON & GREEN, LIMITED, Slate, Tile, Brick, Cement, Marble, and Iron Manufacturers and Merchants.

#### ELLIPTIC STOVE.



No. 550. Class B/D. Sizes 16 to 30 inches.

ches. F.O.B. London.

14 to 18 inches ... ... ... ... 13d. per inch.
20 to 32 ,, ... ... ... ... 11d. ,,
Extra Strong, 18 to 36 inches ... ... 3d. ,,



# SELF-ACTING LONDON COTTAGE RANGE.

(MEDIUM STRENGTH.)

F.O.B. London.

NET TRADE PRICES.


No. 451 (as drawn), sizes 24 26 28 30 32 34 36 inches.

Oven only ... ... 12/ 12/9 13/3 13/6 14/3 15/ 15/6 each.

Oven and Boiler ... ... — 14/ 14/9 15/3 16/2 16/7 ,

Brass Taps not included in above prices, but charged extra, as follows: \frac{1}{2}-inch, 1/5; \frac{5}{8}-inch, 2/6; and \frac{3}{4}-inch, 3/6 each.





No. 1373.

THE

## "OAKLEY" OPEN-FIRE RANGE,

WITH

LARGE WROUGHT IRON OVEN.

Fitted Oven either hand, and Side Boiler with Brass Tap, bright fittings to Oven Door, bowed Fire Bars, Damper, and Swing Trivet. The back of Fire is formed by the bricklayer with Fire Bricks.

34	36	39	42 inches.
14	14	14	14 ,,
12	12	12	12 ,,
121	I 3½	15	16 ,,
26/9	27/6	31/	35/ each.
37/6	38/4	41/9	50/ ,,



Brass Tap not included in above prices but charged extra, as follows: \(\frac{1}{2}\)-inch, 1/5; \(\frac{5}{8}\)-inch, 2/6; and \(\frac{3}{4}\)-inch, 3/3 each.

If Bright fitted, 4/ extra.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL.

June, 1887.

NET TRADE PRICES-Oven and Sham

Oven and Boiler and Brass Tap ...

Depth of Oven

Packages and Packing Cases extra.



No. 562. ASHTON & GREEN'S


## THE ORIGINAL SPECIALITÉ CHEAP KITCHEN RANGE.

A Range 36 in. wide is 24 in. high, 14 in. deep. Oven 14 in. wide.

NET TRADE PRICES.

A complete Cottage Kitchener, fitted with Skirting, large Oven, thoroughly ventilated for roasting, Boiler with Brass Tap, Soot Doors, Ashes Pan, Dampers, Raker, Lifter, Fire Quarries, Chimney Door, &c., complete.

Width, inches		24	30	36	42
Oven and Sham		20/6	22/6	24/9	31/6
Oven and Boiler		-	26/3	27/6	35/
	F	CO.B. Lo	NDON.		



No. 1322.


THE

## "QUEEN ANNE" RANGE.

With Skirting, Wrought Iron Oven and Cast Iron Boiler, two sets of Dampers, Bright Latch and Knobs, and Brass Tap complete.

F.O.B. LONDON.

Sizes		30	32	34	36	42 inches.
" of Oven inside		12	12	14	14	16 ,, wide.
" of Fires		6	8	8	8	10 ,,
Prices-with Skirting as drawn	000	32/6	33/6	34/	35/	39/6 each.
" with Covings and Plate R	lack	-			49/	55/ ,,



No. 1681.


### THE "SPHINX"

NEW REGISTERED DESIGN KITCHEN RANGE.

A complete Cottage Kitchener, fitted with Skirting, large Oven, thoroughly ventilated for roasting, Boiler with Brass Tap, Soot Doors, Ashes Pan, Dampers, Raker, Lifter, Fire Quarries, Chimney Door, &c., complete.

F.O.B. LONDON.

			1			36	39	42 in. wide
THE "SPHINX,"	Oven and Boiler and	l Brass	Tap, as	drawi	1	27/9	32/6	36/6 each.
	Oven and Sham	/	•••	•••	•••	24/9	27/9	31/6 ,



No. 1632.

THE

## NEW COTTAGE KITCHEN RANGE,

With Wrought Iron Oven, and Cast Side Boiler, complete with Dampers.

NET TRADE PRICES.


30	36	42 in .
30/	32/	34/6.
50/	53/	55/6
	30/	30/ 32/

This is a strong and durable Range for Cottage Property, and the wearing parts are made extra strong.

F.O.B. LONDON.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL.

Packages and Packing Cases extra.



No. 1863.

# THE "HOBART" KITCHEN RANGE.

Hot Plate, 14 in. deep and  $25\frac{1}{2}$  in. high from floor, and Covings 26 in. high from hot plate. Bright fitted, strong and durable.


No. 1863 (as drawn). With Covings and Plate Rack.

Sizes ... ... 30 36 42 48 in. Net Trade Prices ... 46/ 49/ 55/ 64/ each.

No. 1862 with Skirting instead of Covings and Rack.

Sizes ... 30 36 42 48 in. Rrice ... 31/6 34/ 40/ 46/ each.

If Oven and Sham 2/ each less all round. F.O.B. London.



No. 483.

THE NEW


## FAVORITE KITCHEN RANGE,

Extra strong metal, best Wrought Bright Fittings, 28 inches from floor to hot plate and 28 inches from hot plate to top of covings; complete with Covings, Plate Rack, Wrought Oven and large cast Iron necked Boiler with tap and sheet iron covering in.

#### NET TRADE PRICES.

Sizes 36	42	48	54	60 in.
Depth Hot Plate 18	18	20	20	20 ,,
Ovens inside 12	14	16	18	20 ,,
Prices (complete) 100/		123/	145/	161/ea

F.O.B. LONDON.



No. 1587.

F.O.B. LONDON.


# THE GRESHAM RANGE, With Covings & Plate Rack,

Well fitted Range, extra strong metal, 27 in. from ground to hot plate and 27 in. from hot plate to top of covings, Hot Plate 18 in. deep, fitted with Covings, Plate Rack, &c., complete.

Net Trade Prices ... 36 42 48 54in. 1587 (as drawn) with Oven and side Boiler 71/81/92/6 105/ 1588. Oven and Sham, with extra large Oven 66/6 78/89/— 1589. If with 2 Ovens — 97/6 110/122/6

Back Boiler with flues for bath purposes, wrought iron, suitable for double Oven, or Oven and Sham Ranges—

Sizes ... ... 12 14 16 Suitable for Ranges ... 42 48 & 54 60 in. 18/ 20/ 22/



No. 483a.

Description as above, but with Two Ovens, one on each side of fire instead of Oven and Side Boiler.

#### NET TRADE PRICES.

Sizes 48 51 54 57 60 in.

Depth of Hot Plate 20 20 20 20 20 .,

Sizes of Ovens 12&16 14&16 14&18 16&18 16&20

Price 156/ 163/ 170/ 180/ 190/

For wrought iron back boiler for bath purposes

F.O.B. LONDON.

see prices on left.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL.

June, 1887.

#### RAIN WATER GOODS.

F.O.B. GLASGOW OR LONDON.

Rain Water Pipes, 2  $2\frac{1}{2}$  3  $3\frac{1}{2}$  4  $4\frac{1}{2}$  5 6 in. in 6 ft. lengths  $|6\frac{3}{4}| / 7\frac{1}{2}| / 8\frac{1}{2}| / 10\frac{1}{2}| 1/0\frac{1}{2}| 1/5| 1/8| 2/2$  per yd. Half-round Gutters, do. ...  $|4\frac{1}{2}| / 4\frac{2}{4}| / 5| / 6| / 7| / 9\frac{1}{2}|$ , O.G. Gutters do. ...  $|6| / 6\frac{1}{2}| / 7\frac{1}{4}| / 9| 1/|$ , Sbort Lengths usual extras. Connections at equally low prices. Illustrations and Prices of Ornamental Gutters on application.

#### NAILS.

F.O.B. LONDON OR LIVERPOOL.

Cut Clasp, sizes I  $1\frac{1}{4}$   $1\frac{1}{2}$  &  $1\frac{3}{4}$  2 &  $2\frac{1}{4}$   $2\frac{1}{2}$  &  $2\frac{3}{4}$  3 to 6 in. 13/3 11/9 10/3 9/3 8/9 8/3 p. cwt. Cut Floor Brads 2  $2\frac{1}{4}$   $2\frac{1}{2}$  in. | Cut Lath  $\frac{3}{4}$   $\frac{7}{8}$  I in. | 8/6 8/3 8/ p. cwt. | 12/3 11/3 10/3 p. cwt. | 9d. per cwt. less on Rails, Birmingham or Leeds.

CUT STEEL, 1/ per cwt. extra all round.

Malleable Iron	Slating	Nails	· · · ·		20/ per cwt.	
Zinc	"	,,		•••	23/ ,,	F.O.B.
Copper	,,	"			9d. per lb.	LONDON.
Cast Tile Pegs	•••				9d. per lb. 9/6 per cwt.	May was also
-				Maria	A CONTRACTOR OF THE PARTY OF TH	<del></del>
SHEET LEAD		•••	£13 I	5/ per	ton.) Subject	to Market
LEAD PIPE			£14		, fluct	
SHEET ZINC			£ 20		, F.O.B.	LONDON.
			~	7		

COMPO GAS TUBE	 	400	 per cwt.
PLUMBERS' SOLDER	 000		 ,,
TINMAN'S ,,	 	0.00	 ,,

#### GLASS.

BRITISH SHEET WINDOW. IN CRATES.

PILKINGTON'S make	15	21	26	32 0	z.
4ths quality, usual size sheets	$1\frac{1}{2}$	121	13	/41 P	er ft. sup.
3rd ,, ,, ,,	/2	13	14	$1/5\frac{1}{2}$	,,

#### GLASS-continued.

	15	2 I	26	32 OZ.		
In cut squares 9 × 7	$/1\frac{1}{4}$	$/1\frac{1}{2}$	$/2\frac{1}{4}$	/3 per	ft. sup.	Net.
12×9	$1\frac{1}{2}$	17	123	$13\frac{1}{4}$	"	"
14 × 10	15	123	13	135	"	"
Length not over 2 ft	$1\frac{3}{4}$	$/2\frac{3}{4}$	$13\frac{1}{2}$	$4\frac{1}{2}$	17	,,
Length not over 50 in. and width not over 36 in.	· /17	/27/8	135	15	17	"
Plain Rolled Plate						
In Crates, of Stock sizes					77	"
In Squares, cut to sizes	$1/2\frac{1}{4}$	$/3\frac{1}{4}$	$/4\frac{1}{4}$	161	"	,,
Rough Cast Rolled 3 , 4,	and 3/8	, same	e pric	es as P	lain R	olled.
Polished Plate for ordinar	ry glaz	ing,	per	cent. o	ff tari	ff list.

All above delivered F.O.B. London. Subject to Market fluctuations.

#### BELGIUM GLASS.

F.O.B. LONDON.

Coarse, 15 &	21 oz.,	per case o	of 15 oz. 3	00 ft., o	r 21 oz. 200 f	t.
Fourths ,,	,,	"	,,		" [supe	r.
Thirds ,,	,,	,,	,,		,,	
All Glass	prices are	e subject to f	luctuatio	ns of th	ne Market.	


			OILS	. 11		THE PARTY OF THE P
Linseed	•••					per gall.
Boiled (Best 1	Double)		•••	•••		,,
Turpentine			•••	•••	•••	,,
	Subie	ect to	Market	fluctua	ations.	

#### COLOURS (DRY).

Red Lead, genuine		· · · · · · · · · · · · · · · · · · ·	•••	per cwt.
Venetian Red	No. 1,	; No. 2,	; No. 3,	. 17
Red Ochre	•••	No. 1,	; No. 2,	"
English Umber,	•••		Burnt,	"
Turkey ,,	•••		,,	,,
Yellow Ochre, No.	2			,,
Brunswick Green	Best	; No. 1,	; No. 2,	,,
Lime Blue		Best,	; No. 1,	"

#### COLOURS (IN OIL).


Genuine White Lead		•••		20/6	per cwt
Lead Colour, Black, Bright R	led, and	Yello	w Paints,		
	Best,	18/6;	Seconds,	15/	27,
Patent Dryers, No. 1	•••	• • • • • • • • • • • • • • • • • • • •		14/9	11-
Pure Linseed Oil Putty	•••			7/3	"



#### BATHS.

NET TRADE PRICES.

No. I.



n.	Fine Cast. Painted 1 coat.	Enaml'd 3rd quality.	Enaml'd 2nd quality.	Ex. Hard Enamily 1st quality.
60	18/9	24/	31/	38/
66	21/	25/	35/6	40/
72	26/6	35/6	46/6	52/6

F.O.B. LONDON.

Shanks' Bath Fittings, with China Tops, marked "hot," "cold," and "waste," with trap to fittings,

3/4 in., 21/ 1 in., 23/

Prices of high pressure Taps and all Plumbers' Brass Fittings on application.

Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRIGHTAL

#### GALVANISED IRON CISTERNS.

		NET	TRADE PRI	ices. F.C	D.B. LOND	ON.	
Gallons		25	30	40	50	60	80
		13/	14/6	17/	19/6	21/9	25/9
77	•••	100	125	150	200	250	300
		29/9	33/9	40/6	51/	59/3	72/6

#### GALVANISED IRON HOT WATER TANKS.

	NET	TRADE	PRICES.	F.O.B.	LONDON.		
••	20	25	30	40	50	60	80
	20/	22/	24/	27/9	32/	36/6	50/

Water Closets, Hopper Pans and Traps, complete	 2/3 each.
Cottage Basin and Trap, complete	 3/2 ,,
Patent White Wash-out Closet and Trap	12/



Gallons ..

Elastic Seated Valve Closet, & in. Valve and Brass Regulator,

# THE "UNIVERSAL," 38/6 each.

Prices of Lavatory Basins and Marble Lavatory Slabs on application.

Water Waste Preventers, Zinc, single action best quality, without cover	on, 5/3 each.
Ditto, with cover	6/3 ,,
Zinc After Flush Cistern	10/ ,,
ent "Acme" Syphon Cistern, with gal-	
handle and chain, 1½ or 2 gallons	18/ ,,
ent "Syphon" ditto ditto	17/6 ,,
Taylor To Control of the Control of	$\frac{3}{4}$ in. $2/10$ ,,
	best quality, without cover  Ditto, with cover  Zinc After Flush Cistern  Ent "Acme" Syphon Cistern, with galhandle and chain, 1½ or 2 gallons  Ent "Syphon" ditto ditto  On" or Equilibrium Ball \ \frac{1}{2} \frac{5}{8}

Sherringham's, Arnot's, Boyle's, Hayward's, Comyn Ching's Archimedian and Climax Ventilators.

Prices on application.

The Galvanized Iron "Louvre" Chimney Cowel and Ventilator, a cure for smoky chimneys, 4/3 each.

Contractors' and Kitchen Pumps price list on app	olication.
Gravel Sieves and Patent Screens ,,	,,
Galvanised Pails ,,	,,
Stable and Harness Room Fittings ,,	,,

#### GENERAL CASTINGS & SUNDRIES.

Wall Ties, Cast Iron, 11/ Wrought Iron Wall Ties, 15/per cwt.
Air Bricks $9 \times 3$ , $1/9$ ; $9 \times 6$ , $3/6$ per doz.
,, ,, Sliding ; ,, 5/6; ,, 8/6 ,,
Round or Square Zinc Traps ) 4 and 5 in., 16/ per cwt.;
Round or Square Zinc Traps Square D Stench Traps  4 and 5 in., 16/ per cwt.; larger size, 12/6 per cwt.
Garden Grates and Frames, Stable Grates and
Frames, Sewer Grates and Frames 9/6 per cwt.
Furnace Pans, Black 9/ 9/
" " Galvanised, 6 to 20 gallons /4 per gall.
" " , 25 to 30 " $/4\frac{1}{2}$ "
Doors and Frames for do No. 1 2 3 4
Light fitted /9 1/ 1/4 1/9 each.
Heavy ,, $1/6$ $2/2$ $2/9$ $3/6$ ,,
Soot Doors, No.0, 1/; No.1, 1/2; No.2, 1/5; No.3, 1/9;
No. 4, 2/3 ,,
Furnace Gratings 7/6 per cwt.
Dampers and Frames 12/ ,,
Door Scrapers 11/6 and 13/ ,,
Light Brackets 19/ ,,
Wall Plates 9/6 ,,
Gates and Railings from 10/6 ,,
Illustrations on application.
Railing Bars, $\frac{3}{4}$ in. and upwards $7/9$ ,
Bay Window Columns, 5 ft. 6 in. to 6 ft 6/ each.
Iron Window Frames, with Casements 3 ft. X 3 ft. 3 in.
and upwards 8/ per ft. super-
Sky Lights and Frames 12 X 18 16 X 24 30 X 36
To open 5/9 6/6 15/6
Not to open 3/3 4/ 11/
All other sizes at proportionately low prices.
1 1

	and the					A SA	
	Long V			Wide	Deep	Long Wide Deep	
Kitchen Sinks.	24 X	18 X	4 30	× 18	X 4	36 × 18 × 4	
		4/		5/6		6/6	
Do. Black Galva	anised	6/6		8/6		9/9	
Sash Weights	•••	7.				4/ per cwt.	
Cottage Range	Metal, u	nfitted	, SAC			12/ 14	
			SAB	£		11/6 ,,	
Register Metal		"	No. 76			11/6 "	
Supply Cisterns			No. 1, 5	/6; N	To. 2, 3	3/3; No. 3, 4/3	3_
Improved Dum	py or Sh	op Sto	ove, No.	1, 5/6	; No.	2, 8/3; No. 3	9
			10/9	; No.	4, 12/	6; No. 5, 14/9	)

#### IRONMONGERY.

Rim Locks, 6 in., with stout rims, bolts and staples, complete, with

Nos. 1401	1402	230	1404	356	
10/9	12/	14/6	15/	15/	per doz
Nos. 1403	1406	1272	1405	46	
16/6	18/6	20/	23/	25/	"

Mortice Locks, 2 bolt, 6 in., without furniture—

	THE REAL PROPERTY.	,						
Nos.	148	148	150	1409	152	1412	154	154
	Iron bolt	Brass bolt	Iron bolt	Iron bolt	Brass bolt	Iron bolt	Iron bolt	Brass bolt
	12/	16/6	15/	18/3	18/9	22/6	26/6	31/

China Furniture—	Black.	Black and Gold.	White and Gol	
2 bolt Mortice 8/6	9/6	13/	14/	per doz.
Finger Plates 3/	3/9	7/9	9/	,,


Brass Rim and Mortice and Reeded Furniture, and Walker's,
Harcourt's, and any other patents supplied at
manufacturers' prices.

Bolted Rim Latches, from 6/9. Night Latches, from 8/ per doz.

Bow Latches, plain, 4/9. Bolted, 6/ per doz.


Norfolk and Suffolk Latches, Draw-back and Plate Locks,
Dead Cupboard, and Mortice Sash Locks.

Prices on application.



Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRIGTOL

### BEST WHITE SICILIAN MARBLE MONUMENTS.




Head Offices: BURY STREET, LONDON, E.C.; Branches: HOLBORN VIADUCT, E.C.; & TEMPLE GATE, BRISTOL.

Packages and Packing Cases extra.

## MARBLE LATIN CROSSES.

MADE TO ANY SIZE



PRICES ON APPLICATION.

### THE WENHAM PATENT GAS LAMP.

It is a New System of burning Coal Gas, whereby its illuminating power is enormously increased, without the aid of enriching materials.

### Test made by PROFESSOR WM. FOSTER, M.A., F.R.C.S.

Size.	Consumption Per Hour.	ILLUMINATING POWER, WITHOUT REFLECTOR.	ILLUMINATING POWER, WITH PLAIN OPAL REFLECTOR.			
No. 0 ,, I ,, 2 ,, 3 ,, 4	4 cubic feet. 6 ,, ,, 10 ,, ,, 12 ,, ,, 24 ,, ,,	21 Candles = 5.5 per foot. 58  , = 9.2  ,, 119  ,, =11.9  ,, 117.8  ,, = 9.8  ,, 289  ,, =12.0  ,,	34 Candles= 8.5 per foot. 78.4 ,, =12.4 ,, 164 ,, =17.1 ,, 193 ,, =16.1 ,, 402 ,, =16.7 ,,			

#### NET TRADE PRICES.

	STATE OF STA		1 117	1DL	111101	_ 0.		The state of the s
	Class			0	Α	В	F	H
	et consumption.	As s	shewn,	43/7		or with Pla	in Opal Sh	ade to/
m! 1.—6 1,	, ,,			•••	50/6	57/9	69/9	88/
,, , 2. 9 1	)	•••	•••		68/	80/	91/6	112/
,, 13.—12,	, ,,	•••			88/	104/	120/	136/
,, 4.—20,	}		•••		140/	160/	184/	192/











CLASS O.

Can be seen at our Show Rooms, No. 40, HOLBORN VIADUCT.

#### Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org
Australasian Chapter

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

from the collection of:

Miles Lewis, Melbourne

funding provided by:

the Vera Moore Foundation, Australia

